Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



BRORIVED

SEP 1 6 193

U. S. Department of Agriculture.

PRINCETON NURSERIES

WM. FLEMER'S SONS, INC.



1937
FALL
PRICE LIST
WHOLESALE

PRINCETON, N. J.

TO THE TRADE

Please Note:

This wholesale price list contains only varieties and sizes which we have in quantity and which are most commonly used by the wholesale trade.

Our retail catalogue contains our complete list of material and includes many rare and unusual items not listed in this book. Retail catalogue will be gladly mailed on request.

We specialize in material wanted for both Private and Public Landscape Work. Our inventory includes not only specimen stock but large quantities of material for massing and screening. We suggest that you send us complete lists on which we are prepared to quote attractive prices because of our comprehensive inventory and large scale production.

PRINCETON NURSERIES
Telephone
Princeton 1776

Conditions of Sale PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice. Increases may be made to include any Federal or State taxes levied on sales or any increase in the cost of labor or material caused by Federal or State legislation or regulation.

TERMS AND DISCOUNTS

TERMS: 2 per cent discount for payment in 10 days from date of invoice. Accounts due first of second month following date of invoice. These terms are offered to those with established credit; otherwise cash or satisfactory references are required.

Special cash discount: 5 per cent for payment with order.

C.O.D. Shipments: In order to insure acceptance, orders for C.O.D. shipment should be accompanied by one-third of the amount of the order.

PRICES ARE F.O.B. KINGSTON, N.J.

Notes in Explanation of Catalogue

The figures following each variety indicate in feet the approximate height of that plant in maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are taken from "Standardized Plant Names," which is the accepted authority on plant nomenclature in the horticultural industry.

Our standard of grading all plants is based on a formula which has been adopted by the American Association of Nurserymen.

We recommend that all varieties marked with an asterisk(*) be lifted with a ball of earth and burlapped. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way.

Should any article be desired balled and burlapped, which is not so designated in the catalogue, there will be the following scale of charges:

B & B SCHEDULE

Shrubs	Trees
2 to 3'	6 to 8'
3 to 4'	8 to 10' 1.50
4 to 5'	1 to $1\frac{1}{2}$ "
5 to 6'	1½ to 2" 3.00
6 to 8'	$2 \text{ to } 2\frac{1}{2}$ " 5.00
8 to 10' 1.50	2½ to 3" 7.00
10 to 12' 3.00	3 to 4" 9.00

\$1

\$100 to \$ 200

SCHEDULE OF TRUCK DELIVERY CHARGES							
ALUE GF ORDER	zone 1 1 to 25 mi.	zone 2 25 to 50 mi.	zone 3 50 to 75 mi.	zone 4 75 to 100 mi.	zone 5 100 to 125 mi.	zone 6 125 to 150 mi.	ZONE 7 150 to 175 mi.
1000 or more 500 to \$1000	FREE	FREE	FREE	5%	7%	9%	
200 to \$ 500				8%		12%	

Boxing Charges

9%

Less than \$100 \$3.00 \$8.00 \$13.00 \$19.00 \$25.00 \$30.00 \$35.00

5%

3%

13%

17%

20%

Length	12x15"	15×16"	17x20"	19x24"	23x28"	27x32"	31x36"
4'	.75	1.00	1.25	1.50	1.75	2.00	2.50
6'	1.00	1.25	1.50	1.75	2.00	2.50	2.75
8'	1.25	1.50	1.75	2.00	2.50	2.75	3.25
10'	1.70	2.50	2.75	3.25	3.50	4.00	4.50
12'	2.25	3.00	3.25	3.50	4.00	5.00	5.50
14'	2.75	3.50	3.75	4.00	4.25	5.50	6.00

Bales 35c and 50c to \$3.50, depending on size.

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

CARLOADS

We have our own railroad siding and are equipped to load and forward carload lots to all points.

GUARANTEE OF GENUINENESS:

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

		Price in Qua 5-24	antities 25-249
ABELIA grandiflora, 3'-4'	1-4	Glossy	
18 to 24 in., B. & B	.60	· · · · · · · · · · · · · · · · · · ·	.40
2 to 3 ft., B. & B	.75		
ARIFS concelor 50/ 80/		7771.	ia mu
ABIES concolor, 70'-80' 18 to 24 in., B. & B	.75	.60	ite Fir .50
2 to 2½ ft., B. & B	1.10	.95	
2½ to 3 ft., B. & B	1.50	1.25	1.00
3 to 4 ft., B. & B	2.25		
4 to 5 ft., B. & B 5 to 6 ft., B. & B			
3 to 0 ft., B. & B	4.50	3./3	3.00
— firma, 60′-75′		Mo	me Fir
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B		1.50	
3 to 4 ft., B. & B		2.00 3.00	
	0.75	0.00	
— fraseri, 50'-60'		Fras	ser Fir
	.60	.50	
	1.20 1.75		
	2.40		
4 to 5 ft., B. & B			
— nordmanniana, 80'-100'		Nordma	nn Fir
15 to 18 in., B. & B	1.25	1.00	.80
18 to 24 in., B. & B	1.80	1.50	1.25
— douglasi (See PSEUDOTSUGA	doug	(lasi)	
— pectinata, 50'-60'		Silv	ver Fir
18 to 24 in., B. & B			
2 to 2½ in., B. & B — pinsapo, 70′-80′	1./5		sh Fir
18 to 24 in., B. & B.	1.25	1.00	
2 to 2½ in., B. & B.	1.75	1.50	
Spruce (See PICEA)			
veitchi,	00		ch Fir
15 to 18 in., B. & B			
ACANTHOPANAX pentaphylum,			
18 to 24 in		.22	
	.37		
3 to 4 ft	.52	.45	.35
ACER campestre, 25'-30'		Hedge	Maple
5 to 6 ft			1.25
6 to 8 ft		2.20	
8 to 10 ft	3.75	3.00	2.50
— dasycarpum, 60'-80'		Silver	_
6 to 8 ft	.75		
8 to 10 ft 8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	.90	.75 .90	
	1.20	1.00	.80
10 to 12 ft.—13/4 to 2 in	1.50	1.25	1.00
12 to 13 ft.—2 to 2½ in	1.90 2.60	1.50 2.20	1.25 1.75
13 to 14 ft.—2½ to 3 in	3.75	3.00	2.50
14 to 16 ft.—3½ to 4 in	5.25	4.40	3.50

ACER—continued	Unit Pa	rice in Qu 5-24	antities 25-249
—pyramidale, 75'		lal Silver	
10 to 12 ft.—1½ to 1¾ in	•	1.25	
10 to 12 ft.—13/4 to 2 in	1.90	_ :_:	
12 to 14 ft.—2 to 2½ in			
12 to 14 ft.—2½ to 3 in	3.30	2.75	
—wieri, 60'-80'		r Cutleaf	Maple
8 to 10 ft.—1½ to 1½ in	1.10 1.50	.90 1.20	
10 to 12 ft.—1½ to 1¾ in	1.95	1.60	
12 to 13 ft.—2 to 2½ in			
13 to 14 ft.—2½ to 3 in	3.00	2.50	
— ginnala, 10'-12'		Amur	Maple
3 to 4 ft	.60	.50	.40
4 to 5 ft	.95 1.20	.75	.60
5 to 6 ft	1.70	1.00 1.35	1.10
8 to 10 ft	2.10	1.75	
— negundo 60'		Во	xelder
8 to 10 ft	.60	.50	
8 to 10 ft.—1½ to 1½ in	.80	.65	
10 to 12 ft.—1½ to 1¾ in	1.10 1.50	.90 1.25	
12 to 14 ft.—2 to 2½ in	2.10	1.25	
00 1 V 200 2 00 2/2 Million	2.10	21,70	
— palmatum atropurpurem, 6'		io monogo	Monlo
		apanese	
12 to 15 in., B. & B	.70 .95	.55 .75	.45
15 to 18 in., B. & B	1.10	.73 .95	.75
2 to 2½ ft., B. & B		1.50	1.25
2½ to 3 ft., B. & B	3.00		
3 to 4 ft., B. & B		3.00 5.50	2.50 4.50
——————————————————————————————————————			mapie
12 to 15 in., B. & B	1.20 1.90	1.00 1.50	
18 to 24 in., B. & B	2.70		
2 to 2½ in., B. & B.	4.10	3.50	
—— nigrum, 6'-8' Da	rk Pur	ple Jap.	Maple
15 to 18 in., B. & B.	1.10	.95	
18 to 24 in., B. & B.			
2 to 2½ in., B. & B	2,25	1.00	1,40
— — novum, 6'-8'		40	= 0
12 to 15 in., B. & B	.75	.60	.50 .75
15 to 18 in., B. & B	1.10 1.50	.95 1.25	1.00
2 to 2½ ft., B. & B	2.25	1.80	1.45
2½ to 3 ft., B. & B	3.50		
3 to 4 ft., B. & B	4.50		
—— crispum, 6'-8'		sted Jap.	
18 to 24 in			
2 to 3 ft	2.60 3.75	3.00	1.75 2.50

ACIED continued	Unit	Price in Qua	ntities
ACER—continued	1-4		
— pennsylvanicum (striatum), 20			Maple
3 to 4 ft	.60	.50	
4 to 5 ft	1.25	.75 1.00	
6 to 8 ft	1.65		
— platanoides, 50'-75'		Norway	Maple
8 to 10 ft	1.35		.90
8 to 10 ft., 1½ to 1½ in	1.40 1.70	1.20 1.40	
10 to 11 ft., 1½ to 1¾ in	2.00	1.40	1.40
12 to 14 ft., 2 to 2½ in	2.60	2.20	1.75
12 to 14 ft., 2½ to 2½ in	3.00		2.00
13 to 15 ft., 2½ to 3 in	4.10 6.00		2.75 4.00
— — schwedleri, 40'-60'	S	schwedler	Maple
8 to 10 ft	2.25	1.90	1.50
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	2.60		1.75
10 to 11 ft.—1½ to 1¾ in	3.00 3.50		2.00 2.25
12 to 14 ft.—2 to 2½ in	3.75		
	4.50	3.75	
— rubrum, 50′-75′	Red	or Scarlet	Maple
6 to 8 ft			
9 to 12 ft., 1½ to 1¾ in	3.75 4.75		
	5.50	4.50	
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	7.00	5.50	
14 to 16 ft., 2½ to 3 in	8.00		Monlo
6 to 8 ft	1.10	_	Maple .75
8 to 10 ft.	1.50	1.25	
10 to 11 ft., 1¼ to 1½ in	1.90	1.50	
11 to 12 ft., 1½ to 1¾ in	2.25 2.60	2.00	1.50 1.75
12 to 14 ft., 2 to 2½ in	3.00	2.50	2.00
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	3.75		2.50
14 to 16 ft., 2½ to 3 in		3.50 Mountain	Manle
2 to 3 ft	.60		.40
3 to 4 ft	.95	.75	
4 to 5 ft	1.25	1.00	
ACTINIDA arguta, 20'-30'		Bower Ac	tinidia
2 yr., 2 to 3 ft	.30	.25	
3 yr., 3 to 4 ft			
AESCULUS hippocastanum, 60'-8 3 to 4 ft		Horsech	
4 to 5 ft		.80	
5 to 6 ft	1.50		1.00
6 to 8 ft	1.90	1.50	
AILANTHUS glandulosa, 50'60'		Tree of F	
5 to 6 ft		.75 1.00	
8 to 10 ft	1.90	1.25	
AKEBIA quinata, 15'-20'		Fiveleaf A	Akebia
2 yr	.27	.22	.16

	Unit	Price in Qua	ntities
	1-4	5-24	25-249
ALNUS glutinosa, 70'-80'		Europear	a Alder
6 to 8 ft	1.00	.80	
8 to 10 ft	1.25	1.00 1.25	
12 to 14 ft	1.90		
14 to 16 ft	2.10	1.75	
— incana, 40'-50'			
2 to 3 ft	.42		
3 to 4 ft	.52		
	.73	.00	
AMELANCHIER canadensis (botryapium), 20'-30'	ī	Downy Sh	adhlow
18 to 24 in	.45		.30
2 to 3 ft	.60		
— laevis, 20'-30'	Alle	gheny Sh	adblow
2 to 3 ft	.60		
3 to 4 ft	.90		
4 to 5 ft		1.00	
5 to 6 ft	1.50		
AMORPHA fruticosa, 8'-10'			gobush
2 to 3 ft	.22		.15
3 to 4 ft	.30		.20
5 to 6 ft	.45		.30
6 to 8 ft	.60	.50	.40
AMPELOPSIS heterophylla 25'-3	80'		
		lain Amp	pelopsis .25
2 year	.37		
— humulifolia, 25'-30' 2 year	.37	Hop Amp	eropsis.25
3 year	.45		.30
— quinquefolia, 30'-50'		Virginia (Creeper
2 year light	.12	.10	.08
2 year	.18		
3 year	.25	.20	
— quinquefolia engelmanni, 30'-4			_
		gelmann (_
1 year	.12		.08
2 year	.10		
— tricuspidata (veitchi), 40'-50'			ston Ivy
2 year, 12 to 18 in	.27		.18
2 year, 18 to 24 in		.30	.25
2 year, 2 to 3 ft	.52	.45	.35
AMYGDALUS nana (See Prunus			
— persica alba, rosea and ruba			
2 to 3 ft		25 .30	.20
4 to 6 ft			
ANDROMEDA arborea (See OXY			
catesbaei (See LEUCOTHOE)			
japonica (See PIERIS)			
ARALIA pentaphyllum (See ACA	NTH	IOPANAX	(1)

	Unit P	rice in Quar	ntities
	1-4	5-24	25-249
ARALIA spinosa, 18'-20'		Hercul	es-club
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.52	.45	.35
5 to 6 ft	.70	.55	
6 to 8 ft 8 to 10 ft	.90		.60
	1.50		
ARCTOSTAPHYLOS uva-ursi	0 F		rberry
2 year pots	.37	.30	.25
ARONIA arbutifolia, 6'-8'		Red Chok	eberry
12 to 18 in		.25	
18 to 24 in			.30
2 to 3 ft		.50	
— brilliantissima, 6'-8' Bril			
12 to 18 in		.25 .37	
2 to 3 ft		.50	
— atropurpurea, 6'-8'		rple Chok	
3 to 4 ft	.75		.50 .65
5 to 6 ft		.95	.75
— melanocarpa (nigra), 8'-10'			
18 to 34 in			
2 to 3 ft		.50	
3 to 4 ft	.75	.60	.50
4 to 5 ft			.65
5 to 6 ft	1.30	1.05	.85
AZALEAS			
AZALEA amoena, 3'-4'		Amoena A	Azalea
9 to 12 in., B. & B	.60	.50	.40
12 to 15 in., B. & B		.65	
15 to 18 in., B. & B	1.00		.70
18 to 24 in., B. & B	1.50 1.90		1.00 1.25
	1.90		
	1 50	Sweet A	Azarea
15 to 18 in., B. & B	1.50	1.25 1.50	
2 to 2½ ft., B. & B			
— calendulacea, 4'-5'		Flame A	Azalea
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B	1.65		1.10
2 to 2½ ft., B. & B	2.00		
/ = /	2.55 3.45		
— Hinodegiri, 3'-4'		nodegiri A	
8 to 10 in., B. & B	.60		
10 to 12 in., B. & B	.90		.60
12 to 15 in., B. & B		1.10	.90
	2.25		
— kaempferi, 4'-5'		Torch A	zalea
12 to 15 in., B. & B		.75	
15 to 18 in., B. & B			
18 to 24 in., B. & B	1.65	1.35	1.10

AZALEA—continued	Unit Price in Quantities 1-4 5-24 25-249
AZALEA KAEMPFERI	HYBRIDS
Carmen—Rose-pink flowers, 9 to 15 to 18 in.	12 in.; 12 to 15 in.;
Cleopatra—Lilac-rose flowers, 9 to 15 to 18 in.; 18 to 24 in.	o 12 in.; 12 to 15 in.;
Fedora—Salmon-rose flowers, 9 to	o 12 in.; 12 to 15 in.;
15 to 18 in.; 18 to 24 in. Louise—Light-rose flowers, 9 to	12 in.; 12 to 15 in.;
15 to 18 in.; 18 to 24 in.	
Othello—Brick-red flowers, 9 to 15 to 18 in.; 18-24 in.	12 in.; 12 to 15 in.;
9 to 12 in., B. & B	.60 .50
12 to 15 in., B. & B	.90 .75 —
15 to 18 in., B. & B	1.35 1.10 —
18 to 24 in., B. & B.	1.65 1.35 ——
KURUME AZALI	
Benigeri—Brick-red flowers, 9 to	12 in.; 12 to 15 in.
Flame—Brilliant red flowers, 15 to 18 in.; 18 to 24 in.; 2 to	to 2½ ft.; ½½ to 3 ft.
Hatsugiri—Bright purple flowers 9 to 12 in.; 12 t	, o 15 in.; 15 to 18 in.
Pink Beauty—Single soft-pink flo 9 to 12 in.: 12 t	wers, to 15 in.; 15 to 18 in.
Pink Pearl—Salmon-rose flowers,	
Salmon Beauty—Large salmon-pi	The state of the s
9 to 12 in., B. & B	.60 .50 ——
12 to 15 in., B. & B	.90 .75 —
15 to 18 in., B. & B	1.60 1.20 ——
18 to 24 in., B. & B	
2 to 2½ ft., B. & B	
2½ to 3 ft., B. & B	
- snow, large double white flow	
9 to 12 in., B. & B	.90 .75 —
12 to 15 in., B. & B	1.25 1.00 ——
15 to 18 in., B. & B	1.50 1.25 —
— ledifolia alba, 4'-6', large sing	
12 to 15 in., B. & B	
15 to 18 in., B. & B	
18 to 24 in., B. & B	1.60 2.20 1.75
—— lilacina, 4'-6'	1.00 1.00
12 to 15 in., B. & B	1.20 1.00
15 to 18 in., B. & B	
18 to 24 in., B. & B	Red Salmon Azalea
12 to 15 in B. & B	
15 to 18 in., B. & B	
— mollis, 4'-6'	Chinese Azalea
12 to 15 in., B. & B	1.25 1.00
15 to 18 in., B. & B	
- mucronulatum (See Rhododeno	
— nudiflora, 6'-8'	Pinxterbloom
15 to 18 in., B. & B.	
18 to 24 in., B. & B	
2 to 2½ ft., B. & B	2.10 1.75 —
2½ to 3 ft., B. & B	3.00 2.50 —

AZALEA—continued	Unit F	rice in Qu	antities
	1-4	5-24	25-249
— poukhanensis, 1'-3'		Korean	Azalea
12 to 15 in., B. & B	1.25		—
15 to 18 in., B. & B	1.50		
2 to 2½ in., B. & B	3.00		
— rosea, 6'-8'		y Pinxte	rbloom
15 to 18 in., B. & B		1.20	
18 to 24 in., B. & B			
2 to 2½ ft., B. & B	2.70		
— schlippenbachi, 6'-8'	4.00		Azalea
12 to 15 in., B. & B			1.25
15 to 18 in., B. & B	3.00	2.05 2.50	
— vaseyi, 5'-6'		inkshell	
18 to 24 in., B. & B		1.80	
2 to 2½ ft., B. & B		2.25	
2½ to 3 ft., B. & B	3.30		
3 to 3½ ft., B. & B	4.10	3.50	
— viscosa, 4'-5'		Swamp	Azalea
2 to 2½ ft., B. & B	2.10		
2½ to 3 ft., B. & B	2.40		
— yodogawa 3'-4'		odogawa	
12 to 15 in., B. & B		.95	
15 to 18 in., B. & B	2.10	1.50	1.25 1.40
2 to 2½ in., B. & B	2.25	1.73	1.70
		2170	
BACCHARIS halimifolia, 9'-10'		Grounds	selbush
18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	
3 to 4 ft	.52		
4 to 5 ft	.60		
5 to 6 ft	.75	.60	.50
BENZOIN aestivale (LINDERA	benze		cebush
18 to 24 in	.27	.22	.18
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	
4 to 5 ft	.70	.55	
5 to 6 ft	.90	.75	
BERBERIS—HARDY EVER	GREE	ON TYPE	es .
— gagnepaini			0.5
9 to 12 in., 5 in. pots	.50	.45	.35
12 to 15 in., 5 in. pots	.75	.60 .80	.50
— ilicifolia, 5'-6'		Holly Ba	rberry
15 to 18 in., B. & B	.50	.40	
18 to 24 in., B. & B	.75	.60	
2 to 2½ ft., B. & B	1.00	.80	
— julianae			
9 to 12 in., 3 in. pots	.30	.25	20
12 to 15 in., $4\frac{1}{2}$ in. pots	.45 .75	.37	.30
15 to 18 in., 5 in. pots	1.00		
— triacanthophora	2100		
6 to 9 in., 3 in. pots	.25	.20	
9 to 12 in., 4 in. pots	.45	.37	.30
12 to 15 in., 5 in. pots	.52	.45	.35

BERBERIS—continued	Unit Pi	rice in Qua 5-24	
— verruculosa	W	Varty Ba	rberry
6 to 9 in., 4 in pots		varty Ba	JOILY
9 to 12 in., 5 in. pots	.75	.60	
12 to 15 in., 5 in. pots		.80	
BERBERIS—DECIDUO	US TY	YPES	
BERBERIS dielsiana			
18 to 24 in	.75	.60	
2 to 2½ ft	1.00	.80	
— thunbergii, 4'-5'	Japa	nese Ba	rberry
9 to 12 in	.08	.06	.05
12 to 15 in	.12		.08
15 to 18 in	.15	.13	.11
18 to 24 in	.22	.20	.15
2 to 2½ ft	.30	.25	.20
2½ to 3 ft	.37	.30	.25
— atropurpurea 4'-5' Re			
12 to 15 in	.27 .33	.22 .27	.18
18 to 24 in	.ss .45		.22
2 to 2½ ft	.52	.45	.35
2½ to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
— minor, 2'-3'		Box Ba	rberry
9 to 12 in	.22	.20	.15
12 to 15 in	.30	.25	.20
15 to 18 in	.37	.30	
*BETULA alba, 30'-50'	uropea	an White	Birch
6 to 8 ft		1.25	1.00
8 to 10 ft		1.50	1.25
8 to 10 ft.—1¼ to 1½ in	2.50		
10 to 12 ft.—1½ to 1¾ in	3.00 3.75		
*— alba fastigiata, 25'-40' Py			
5 to 6 ft			
6 to 8 ft	3.25		
8 to 10 ft	4.00		
10 to 12 ft	5.00		
		Weeping	Birch
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.25	1.75	
8 to 10 ft., 1½ to 1½ in	2.75 3.00	2.25 2.50	
10 to 12 ft., 1½ to 1¾ in		3.00	
*— lenta, 40′-50′	0.75		Birch
	1.25	1.00	Direir
6 to 8 ft 8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	1.25	1.50	
10 to 12 ft.—1½ to 1¾ in	2.50	1.50	
10 to 12 ft.—13/4 to 2 in	3.00		
*— lutea, 50'-70'		Yellow	Birch
5 to 6 ft	.95	.75	
6 to 8 ft	1.25	1.00	
8 to 10 ft., 1½ to ½ in		1.50	
10 to 12 ft., 1½ to 1 ¾ in	2.50		

Unit Price in Quantities 1-4 5-24 25-24 River Bird 1.25 1.00 — 1.90 1.50 — 2.35 1.90 — 300 2.50 — 3.50 — Paper or Canoe Bird 1.50 1.25 1.90	49 ch ———————————————————————————————————
2.25 3.00 4.00 — — — — — — — — — — — — — — — — — —	
inese Trumpet creeper45 .35 —	er —
.60 .50 Trumpetcreepe .12 .10	08
Butterfly Shru .22 .20 .30 .25 .2	ıb 15
.22 .20 .27 .22	10 15 18
.60 .50 — .90 .75 — 1.20 1.00 —	
.14 .11 .0 .30 .25 .2 .50 .40 —)9
Tapanese Beautyberr .22 .20 .3 .27 .22 .3	15 18
Chinese Beautyberr .22 .20 .1 .27 .22 .1 GING BIRCHES, ULE, PAGE 1.	15 18
E	1-4 5-24 25-24 River Bird 1.25 1.00 1.90 1.50 2.35 1.90 300 2.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50 4.90 5-24 25-26 3.00 4.90 5-24 5-26 3.00 4.00 4.00 5-2 6-2 7-2 7-2 8-2 8-2 9-3 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 3.50 3.50 5-2 6-2 6-3 7-3 8-3 9-3 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50

		rice in Qua	
CALLUNA vulgaris, 1'-2'	1-4		25-249 eather
2 year	.30	.25	
3 year	.37	.30	
4 year	.50	.40	
—— alba, white flowers.			
—— alporti, bright green folia	ge, re	ddish-pu	rple
	ge, wh	ite flowe	ers.
— pilosa, white flowers.			
	rose-c	olored fl	owers.
—— rubra, spreading habit, pu	rplish-	red flow	ers.
CALYCANTHUS floridus, 4'-5'		Swoo	tshrub
18 to 24 in	.27	.22	.18
2 to 3 ft	.33	.27	.18
3 to 4 ft	.45	.37	.30
	Q.1	D	
CARAGANA arborescens, 10'-12'		oerian Po	
18 to 24 in	.18	.15 .20	.12
3 to 4 ft	.22	.20	.18
4 to 5 ft	.33	.27	.22
5 to 6 ft	.45	.37	.30
— pygmaea, 4'-5'	Dw	arf Pea	-Shrub
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	
*CARPINUS betulus, 60'-70'	Europ	ean Hor	nbeam
3 to 4 ft	1.75	1.50	
4 to 5 ft		2.00	
5 to 6 ft		2.75	
6 to 8 ft	4.20	3.50	
*— caroliniana, 30'-40'		can Hor	
5 to 6 ft	2.25	1.90 2.50	1.50 2.00
6 to 8 ft 8 to 10 ft	3.00 4.10		
10 to 12 ft		4.40	
12 to 14 ft	6.75	5.50	4.50
CARYOPTERIS incana (mastacan	tha),2'	-3 ′ Blue	Spirea
12 to 15 in	.22	.20	.15
15 to 18 in	.30	.25	.20
CATALPA (bignonioides nana)		nbrella C	atalpa
Large Heads, 2 yr., 5 to 6 ft			
Extra Large Heads, 2 in Extra Large Heads, 2½ in	1.00 1.25		
— speciosa, 30'-35'		estern C	atalna
6 to 8 ft	.40	.30	acarpa —
8 to 10 ft	.70		
10 to 12 ft	1.00	.80	
2 to 2½ in	1.90	1.50	1.25
CEDRUS atlantica glauca, 35'-50	' Bl	ue Atlas	Cedar
6 to 8 ft., B. & B			
8 to 9 ft., B. & B	10.00		
9 to 10 ft., B. & B	12.00		

CEDRUS—continued	Unit P	rice in Qua 5-24	ntities 25-249
— libani, 35′-50′	Ce	dar of Le	banon
3 to 4 ft., B. & B	3.00		
5 to 6 ft., B. & B	5.50		-
CELASTRUS orbiculatus, 15'-20'	Orie	ntal Bitte	rsweet
	.22		
2 year, 2 to 3 ft	.30		•
3 year, 3 to 4 ft			
— scandens, 20'25'	Ameri	can Bitte	rsweet
2 year, 18 to 24 in	.30	.25	.20
CELTIS occidentalis, 50'-60'		Нас	kberry
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.69	
4 to 5 ft	.90	.75	
5 to 6 ft	1.20	1.00	-
CEPHALANTHUS occidentalis, 5'	'-6'	Butte	onbush
18 to 24 in	.18	.15	.12
2 to 3 ft	.25	.20	
3 to 4 ft.	.35	.30	
4 to 5 ft	.45	.37	.30
. 5 to 6 ft	.60	.50	.40
CERASUS, (See Prunus, page 46)		
		101 TZ - 1	
*CERCIDIPHYLLUM japonicum,			
8 to 10 ft			
12 to 14 ft	6.75	5.50	
CERCIS canadensis, 12'-15'		merican F	
2 to 3 ft	.60	.50	.40
3 to 4 ft			· -
4 to 5 ft			
5 to 6 ft			
6 to 8 ft			1.00
8 to 10 ft			1.50
— chinensis, 10'-12'		Chinese F	
12 to 18 in		.45	
2 to 3 ft	.70	.55	.45
3 to 4 ft.		.75	
CHAMAECYPARIS—THE I	RETI	NOSPORA	\S
CHAMAECYPARIS obtusa, 25'-3	5 ′	Hinoki C	Cypress
4 to 5 ft., B. & B			
5 to 6 ft., B. & B	2.00		
6 to 7 ft., B. & B	2.40	—	
— — compacta, 4'-6'	I	Pootball C	Cypress
15 to 18 in., B. & B	.60	.50	.40
18 to 24 in., B. & B	.90	.75	.60
2 to 2½ ft., B. & B	1.20	1.()()	.80
2½ to 3 ft., B. & B	2.10	1.35	1.10
3 to 3½ it., B. & B		2.20	1.75
0/2 to 7 m, D, & D,	2.00		

CHAMAECYPARIS—continued	Unit P	rice in Qu 5-24	
—— crippsi, 10'-15'	rinns	Golden	Cypress
12 to 15 in., B. & B		.60	.50
15 to 18 in., B. & B		.95	
18 to 24 in., B. & B		1.25	
2 to 2½ ft., B. & B			_
2½ ft. to 3 ft B. & B	2.60		
3 to 3 ½ ft., B. & B	3.40	2.80	2.25
——gracilis, 12'-15' Sl			Cypress
15 to 18 in., B. & B	.90	.75	.60
18 to 24 in., B. & B	1.50	1.25	
2 to 2½ ft., B. & B	1.80		
2½ to 3 ft., B. & B	2.40	2.00	
3 to 4 ft., B. & B	3.30	2.75	
4 to 5 ft., B. & B	5.25	4.40	3.50
— nana, $2\frac{1}{2}-4$			
12 to 15 in., B. & B		1.50	
15 to 18 in., B. & B	2.40		
18 to 24 in., B. & B.			
2 to 2½ ft., B. & B	5.25		
$2\frac{1}{2}$ to 3 ft., B. & B	6.75	5.50	4.50
— youngi, 15'-20' Y	oung	Golden	Cypress
3 to 4 ft., B. & B			
4 to 5 ft., B. & B			
5 to 6 ft., B. & B	3.30	2.75	
— pisifera, 25'-35'			nospora
18 to 24 in., B. & B.		.50	
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B			
4 to 5 ft., B. & B	2.40		
5 to 6 ft., B. & B			
6 to 7 ft., B. & B	4.50	3.75	3.00
			inospora
18 to 24 in., B. & B		.50	
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B			.80
3 to 4 ft., B. & B			1.00
4 to 5 ft., B. & B			
5 to 6 ft., B. & B			2.25
6 to 7 ft., B. & B	4.90	4.05	3.25
— filifera, 15'-20'			inospora
15 to 18 in., B. & B		.50	= 0
18 to 24 in., B. & B			
2 to 2½ ft., B. & B	1.00		
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B		1.50	- 0 =
4 to 5 ft., B. & B			
5 to 6 ft., B. & B	4.90	4.05	3.25
·			inospora
12 to 15 in., B. & B	.75	.60	.50
15 to 18 in., B. & B	1.20	1.00	.80
18 to 24 in., B. & B			
2 to 2½ ft., B. & B	2.25	1.90	1.50

CHAMAECYPARIS—continued	Unit Pr	ice in Quar 5-24	
plumosa 25′-35′	Plun	ne Retino	
12 to 15 in B. & B		.37	.30
15 to 18 in., B. & B		.55	.45
18 to 24 in., B. & B		.60	.50
2 to 2½ ft., B. & B	.90	.75 .95	.60
2½ to 3 ft., B. & B			.75 1.00
4 to 5 ft., B. & B			1.50
5 to 6 ft., B. & B	3.00	2.50	
6 to 7 ft., B. & B			
— plumosa aurea, 20'-25' Gold			
,	.45	.37	.30
15 to 18 in., B. & B	.60 .90	.50 .75	.40 .60
2 to 2½ ft B. & B		.95	.75
$2\frac{1}{2}$ to 3 ft., B. & B	1.50	1.25	1.00
3 to 4 ft., B. & B		1.90	1.50
4 to 5 ft., B. & B 5 to 6 ft., B. & B	2.60	2.20 2.50	1.75 2.00
6 to 7 ft., B. & B	3.75	2.30	2.00
— plumosa lutescens, 2½'-3' Yell	owplun		
· · · · · · · · · · · · · · · · · · ·		.50	.40 .60
18 to 24 in., B. & B	1.20	1.00	.80
2½ to 3 ft., B. & B	1.50	1.25	1.00
— squarrosa nana, 2½'-3'		f Moss C	
9 to 12 in., B. & B		.50 .65	
——————————————————————————————————————			ngnora
12 to 15 in., B. & B		.40	
	.75	.60	
18 to 24 in., B. & B		.80	
2 to 2½ ft., B. & B	1.25	1.10	
2½ to 3 ft., B. & B		1.30 1.50	
— veitchi, 25′-30′		ss Retine	ospora
12 to 15 in., B. & B	.37	.30	.25
15 to 18 in., B. & B	.52	.45	.35
18 to 24 in., B. & B	.75	.60	.50
2 to 2½ ft., B. & B	.90 1.10	.75 .95	.60 .75
2½ to 3 ft., B. & B		1.25	1.00
4 to 5 ft., B. & B		1.50	
5 to 6 ft., B. & B	2.75	2.25	
6 to 7 ft., B. & BCHIONANTHUS virginica, 15'-18	3.90	3.25	getree
		nite Frin	
18 to 24 in	' W1	.25	.20
18 to 24 in	.30 .37	.25 .30	.20 .25
18 to 24 in	.30 .37 .52	.25 .30 .45	.20 .25 .35
18 to 24 in	.30 .37 .52 .85	.25 .30	.20 .25
18 to 24 in	.30 .37 .52 .85 1.10	.25 .30 .45 .70	.20 .25 .35 .55
18 to 24 in	.30 .37 .52 .85 1.10 1.50	.25 .30 .45 .70 .95 1.25	.20 .25 .35 .55 .75
18 to 24 in	.30 .37 .52 .85 1.10 1.50 30'-40'	.25 .30 .45 .70 .95 1.25 Yellov	.20 .25 .35 .55 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. CLADRASTIS lutea (tinctoria), 3 to 4 ft. 4 to 5 ft.	.30 .37 .52 .85 1.10 1.50 30'-40' 1.10 1.50	.25 .30 .45 .70 .95 1.25 Yellov .90 1.25	.20 .25 .35 .55 .75 1.00 vwood
18 to 24 in	.30 .37 .52 .85 1.10 1.50 30'-40' 1.10 1.50 1.90	.25 .30 .45 .70 .95 1.25 Yellov .90 1.25 1.50	.20 .25 .35 .55 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. CLADRASTIS lutea (tinctoria), 3 to 4 ft. 4 to 5 ft.	.30 .37 .52 .85 1.10 1.50 30'-40' 1.10 1.50 1.90	.25 .30 .45 .70 .95 1.25 Yellov .90 1.25 1.50	.20 .25 .35 .55 .75 1.00 vwood

	IIia E	Price in O	
	1-4	rice in Qua	25-249
CLEMATIS paniculata, 20'-25' Sw	reet A	utumn C	lematis
2 year		.15	
3 year	.25	.20	.16
CLEMATIS HYB	RIDS		
Henryi—Snow -white flowers.			
Jackman—Violet-blue flowers. Mme. Edouard Andre—Wine-red	Acres	2.04	
Romona—Sky-blue flowers.	nowei	rs.	
2 year 6 in. pots	.70	.55	.45
CLETHRA alnifolia, 4'-5'	20		ersweet
18 to 24 in	.30	.25	
2 to 2½ ft	.37	.30	_
2½ to 3 ft	.45	.37 .45	
4 to 5 ft	.70	.55	
5 to 6 ft	.85	.70	.43
3 to 0 1t	.03	.70	
COLUTEA arborescens, 8'-10' Co	mmoi	n Bladde	r-senna
2 to 3 ft	.30	.25	.20
3 to ft ft	.37	.30	
4 to 5 ft	.50	.40	
CODNITO H (11 1) OLIO			
CORNUS alba (sibirica), 8'-10'	J Dno	nohod D	
		nched De	
18 to 24 in			.15
2 to 3 ft			
3 to 4 ft	.37	.30	.25
— — elegantissima, 6'-8'	Silverb	olotch De	ogwood
18 to 24 in			.20
2 to 3 ft			.30
3 to 4 ft			
	.00	.00	•••
— alternifolia, 15'-18'		Blue Do	ogwood
2 to 3 ft	.37		
3 to 4 ft			
4 to 5 ft	.75	.60	.50
5 to 6 ft		.75	.60
6 to 7 ft	1.10	.95	.75
— amomum (sericea), 8'-9'		Silky Do	newood
	20		.20
2 to 3 ft			
3 to 4 ft	.45		.25
4 to 5 ft	.45	.37	.50
NURSERY-GROWN D			
*— florida, 15'-25' Wh			
2 to 3 ft			.40
3 to 4 ft			
4 to 5 ft			
5 to 6 ft			
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	4.90	4.05	3.25
10 to 12 ft			
Extra Heavy Bushy Specimens	50	% additio	IIaI
EXTRA CHARGE FOR DIGGING	DOG	WOODS	В. & В.

EXTRA CHARGE FOR DIGGING DOGWOODS B. & B. SEE B. & B. SCHEDULE, PAGE 1.

CORNUS—continued	Unit Pr 1-4	ice in Qua	
*— florida rubra, 15'-20'	edflowe	ering Dog	gwood
2 to 3 ft		.95	.75
3 to 4 ft			
4 to 5 ft		2.80 3.75	
6 to 8 ft			
8 to 10 ft		7.00	5.75
10 to 12 ft Extra Heavy Bushy Specimens		8.00	
*— kousa, 16'-18'			
18 to 24 in		ousa Dog .35	3 w 00 u
2 to 3 ft		.50	
3 to 4 ft		.75	
4 to 5 ft		1.00 1.25	
6 to 7 ft		1.75	
7 to 8 ft		2.50	
— mas, 20'-25'		rnelian-	· ·
18 to 24 in		.30 .45	.25
3 to 4 ft		.60	.50
4 to 5 ft		.95	.75
5 to 6 ft			
— paniculata, 10'-12'		Gray Do	
18 to 24 in			.20
3 to 4 ft			
— sanguinea, 8'-10'	Blood	twig Do	gwood
18 to 24 in	.25	.20	.15
2 to 3 ft	.30	.25	.20
— stolonifera, 7'-8'	Red-	osier Do	gwood
18 to 24 in			
2 to 3 ft		.25	
— lutea, 6'-7' 12 to 18 in		itwig Do	
18 to 24 in	· _	.25	
2 to 3 ft	.37	.30	.25
CORYLUS americana, 8'-9'		rican Ha	
3 to 4 ft			.25
4 to 5 ft		.50	
6 to 8 ft			
COTONEASTER, acuminata, 10'-	-12′		
4 to 6 ft., B. & B	1.50	1.25	
— acutifolia, 10'-12'		ng Coton	easter
6 to 9 in., 3½ in. pots		.20 .30	
9 to 12 in., 4 in. pots		.30	
4 to 5 ft	.52	.45	
5 to 6 ft	.70	.55	
— apiculata, 5'	= 0	4.0	25
6 to 9 in., 3 in. pots	.50 . 75		.35
9 to 12 in 3½ pots	./ 3	.00	
15 to 18 in., 5 in. pots			

COTONEASTER—continued	Unit 1-4	Price in Qu 5-24	antities 25-249
— congsta, 2'-3' 9 to 12 in., 3 in. pots	.50	.40	.35
— dammeri (chumifusa) 1'-2'	.50	.70	.00
6 to 9 in., 3 in. pots	.50	.40	.35
dielsiana, 6'-8'	D	iels Coto	neaster
12 to 15 in., $3\frac{1}{2}$ in. pots	.60		
— foveolata, 6'-10'	.7 3	.00	.50
6 to 9 in., 4 in. pots	.30	.25	.20
9 to 12 in., 4 in. pots	.40		.25
		ehet Coto	neaster
6 to 9 in., 3 in. pots		.25	
9 to 12 in., 5 in. pots	.40		
		yan Coto	
6 to 9 in., 3 in. pots	.50	.40	.35
9 to 12 in., 4 in. pots		.60	
— horizontalis (davidiana), 2'-3' 6 to 9 in., 3½ in. pots	.37	ock Coto	
9 to 12 in., $3\frac{1}{2}$ in. pots	.60	.50	.40
12 to 15 in., 3½ in. pots	.75	.60	.50
—— perpusilla, 2'-3'	60	۲O	40
6 to 9 in., 3 in. pots 9 to 12 in., 3½ in. pots	.75	.50 .60	
— — prostrata, 5'-6'			
9 to 12 in., 3 in. pots	.60 .75		.40
— lindleyi, 6'-8'		lley Coto	neaster
6 to 9 in., 3 in. pots	.50	.40	
— microphylla, 2'-3'	4.0		kspray
6 to 9 in., $3\frac{1}{2}$ in. pots	.40		
12 to 15 in., $3\frac{1}{2}$ in. pots	.70	.55	
— thymifolia, 2'-3'	Ē0	, -	25
9 to 12 in., 4 in. pots	.70	.45 .55	.35
· · · · · · · · · · · · · · · · · · ·		leaf Coto	neaster
6 to 9 in., 3 in. pots	.50	.40	.35
— racemiflora, 8' 9 to 12 in., 4 in. pots	60	.50	.40
12 to 15 in., 4 in. pots			.+0
— rotundifolia (buxifolia), 7'-8' Ro			
9 to 12 in., 4 in. pots			.35
— salicifolia, 10'-12' Wi			neaster
9 to 12 in., 3 in. pots	.60	.50	.40
12 to 15 in., 3½ in. pots	.75	.60 .95	.50 .75
— simonsi, 5'-6'		ons Coto	
9-12 in., 3 in. pots	.52	.45	
12 to 15 in., 4 in. pots	.75	.60 .75	.50
P			

COTONEASTER—continued		Price in Qu	
— tenuipes, 5'-6'	1-4		25-249
9 to 12 in., $3\frac{1}{2}$ in. pots	.75	.60	.50
*CRATAEGUS arkansana, 15'-20'			wthorn
		.50	
4 to 5 ft.	1.20	1.00	
* — arnoldiana, 20'		nold Ha	wthorn
2 to 3 ft	.75	.69	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10 1.50	.95 1.25	.75 1.00
	1.90		1.00
7 to 8 ft	2.25	1.90	1.50
8 to 10 ft	3.00	2.50	2.00
	Car	riere Ha	wthorn
3 to 4 ft	.90	.75	
4 to 5 ft	1.25 1.50	1.00 1.25	
6 to 7 ft	1.80		
7 to 8 ft	2.25	1.80	
* — coccinea, 15'-20'		icket Ha	
3 to 4 ft. 4 to 5 ft.	1.00 1.45	.80 1.20	.65 .95
5 to 6 ft	1.65		
6 to 7 ft	2.25	1.90	1.50
7 to 8 ft	2.70	2.25	1.80
* — coccinioides, 15'-20'	3.40	2.00	2,23
5 to 6 ft	1 35	1.10	
6 to 7 ft			
7 to 8 ft	2.25	1.75	
* — cordata, 12'-15 ' W	ashin	gton Ha	wthorn
4 to 5 ft			
5 to 6 ft			
* — crusgalli, 15'		Cockspur	
3 to 4 ft			
4 to 5 ft	1.35	1.10	.90
5 to 6 ft		1.50	1.25 2.00
6 to 7 ft		owny Ha	
* — mollis, 15' 5 to 6 ft			
6 to 7 ft			1.25
7 to 8 ft	2.60	2.20	1.75
8 to 9 ft			2.25
		lish Haw	
3 to 4 ft	.90	.75	.60 .75
4 to 5 ft	1.50	1.25	1.00
6 to 7 ft	1.90	1.50	1.25
7 to 8 ft	2.25		1.50 2.00
8 to 10 ft			
* — — double pink, 12'-15' Dou 3 to 4 ft	1 91d1	75	
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.90	1.50	1.25

CD AD A ECUTO		rice in Qu	
CRATAEGUS—continued	1-4	5-24	25-249
* — double white, 12'15' Double 5 to 6 ft		ite Haw	thorne
* — pauli, 12'-15'	ul Eng	lish Ha	wthorn
3 to 4 ft	1.00		
4 to 5 ft	1.40 1.60		
6 to 7 ft	2.00		
7 to 8 ft	2.50		
* —pedicellata, 15'-20'			
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.00 1.20	.80 1.00	.65
6 to 7 ft		1.50	_
7 to 8 ft		1.90	1.50
* — punctata, 25'-30'	Dot	ted Ha	wthorn
3 to 4 ft	.75	.60	
4 to 5 ft	.90		
* — submollis, 12'-15'	Que	ebec Ha	wthorn
18 to 24 in		.45	
2 to 3 ft	.75	.60 .80	
3 to 4 ft		1.10	
— pyracantha lalandi (See PYR	ACANI	CHA)	
CRYPTOMERIA japonica lobbi, 1	15'-20'		
CRYPTOMERIA japonica lobbi,	1 5'-20' Lob	b Crypt	omeria
3 to 4 ft., B. & B	Lob	1.50	1.20
3 to 4 ft., B. & B 4 to 5 ft., B. & B	Lob 1.80 3.00	1.50 2.50	1.20 2.00
3 to 4 ft., B. & B 4 to 5 ft., B. & B 5 to 6 ft., B. & B	Lob 1.80 3.00 4.20	1.50 2.50 3.50	1.20 2.00 2.80
3 to 4 ft., B. & B 4 to 5 ft., B. & B	1.80 3.00 4.20 5.25	1.50 2.50 3.50 4.40	1.20 2.00 2.80
3 to 4 ft., B. & B	1.80 3.00 4.20 5.25 7.15	1.50 2.50 3.50 4.40	1.20 2.00 2.80 3.50 4.75
3 to 4 ft., B. & B	1.80 3.00 4.20 5.25 7.15	1.50 2.50 3.50 4.40 5.85 wering .12	1.20 2.00 2.80 3.50 4.75 Quince
3 to 4 ft., B. & B	1.80 3.00 4.20 5.25 7.15	1.50 2.50 3.50 4.40 5.85 wering	1.20 2.00 2.80 3.50 4.75 Quince
3 to 4 ft., B. & B	1.80 3.00 4.20 5.25 7.15	1.50 2.50 3.50 4.40 5.85 wering .12	1.20 2.00 2.80 3.50 4.75 Quince
3 to 4 ft., B. & B	Lob 1.80 3.00 4.20 5.25 7.15 Flo .15 .22	1.50 2.50 3.50 4.40 5.85 wering .12 .20	1.20 2.00 2.80 3.50 4.75 Quince .10 .14
3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. CYDONIA japonica, 4'-5' 12 to 18 in. 18 to 24 in. DAPHNE cneorum, 12"-18" 9 to 12 in., 5 in. pots.	Lob 1.80 3.00 4.20 5.25 7.15 Flo .15 .22	1.50 2.50 3.50 4.40 5.85 wering .12 .20	1.20 2.00 2.80 3.50 4.75 Quince .10 .14
3 to 4 ft., B. & B	Lob 1.80 3.00 4.20 5.25 7.15 Flo .15 .22	1.50 2.50 3.50 4.40 5.85 wering .12 .20	1.20 2.00 2.80 3.50 4.75 Quince .10 .14
3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 7 to 18 in. 18 to 24 in. DAPHNE cneorum, 12"-18" 9 to 12 in., 5 in. pots. 12 to 15 in., 6 in. pots. 15 to 18 in., 7 in. pots.	1.80 3.00 4.20 5.25 7.15 Flo .15 .22	1.50 2.50 3.50 4.40 5.85 wering .12 .20	1.20 2.00 2.80 3.50 4.75 Quince .10 .14 Daphne .50 .75 1.00
3 to 4 ft., B. & B	1.80 3.00 4.20 5.25 7.15 Flo .15 .22	1.50 2.50 3.50 4.40 5.85 wering .12 .20 Rose I .60 .95 1.25	1.20 2.00 2.80 3.50 4.75 Quince .10 .14 Daphne .50 .75 1.00
3 to 4 ft., B. & B	1.80 3.00 4.20 5.25 7.15 Flo .15 .22	1.50 2.50 3.50 4.40 5.85 wering .12 .20 Rose I .60 .95 1.25	1.20 2.00 2.80 3.50 4.75 Quince .10 .14 Daphne .50 .75 1.00
3 to 4 ft., B. & B	1.80 3.00 4.20 5.25 7.15 Flo .15 .22	1.50 2.50 3.50 4.40 5.85 wering .12 .20 Rose I .60 .95 1.25	1.20 2.00 2.80 3.50 4.75 Quince .10 .14 Daphne .50 .75 1.00
3 to 4 ft., B. & B	.75 1.10 1.50 Fel37 .52 .70	1.50 2.50 3.50 4.40 5.85 wering .12 .20 Rose I .60 .95 1.25	1.20 2.00 2.80 3.50 4.75 Quince .10 .14 Daphne .50 .75 1.00 Daphne .25 .35 .45
3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B. CYDONIA japonica, 4'-5' 12 to 18 in. 18 to 24 in. DAPHNE cneorum, 12"-18" 9 to 12 in., 5 in. pots. 12 to 15 in., 6 in. pots. 15 to 18 in., 7 in. pots. — mezereum, 4' 10 to 12 in. 12 to 15 in. 15 to 18 in. DEUTZIA gracilis, 3' 9 to 12 in.	1.80 3.00 4.20 5.25 7.15 Floo .15 .22 .75 1.10 1.50 Fel .37 .52 .70 S1 .15	1.50 2.50 3.50 4.40 5.85 wering .12 .20 Rose I .60 .95 1.25 oruary I .30 .45 .55	1.20 2.00 2.80 3.50 4.75 Quince .10 .14 Daphne .50 .75 1.00 Daphne .25 .35 .45
3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B. CYDONIA japonica, 4'-5' 12 to 18 in. 18 to 24 in. DAPHNE cneorum, 12"-18" 9 to 12 in., 5 in. pots. 12 to 15 in., 6 in. pots. 15 to 18 in., 7 in. pots. — mezereum, 4' 10 to 12 in. 12 to 15 in. 15 to 18 in. DEUTZIA gracilis, 3' 9 to 12 in. 12 to 15 in. 15 to 15 in.	1.80 3.00 4.20 5.25 7.15 Floo .15 .22 .75 1.10 1.50 Fel .37 .52 .70 S1 .15 .18	1.50 2.50 3.50 4.40 5.85 wering .12 .20 Rose I .60 .95 1.25 bruary I .30 .45 .55	1.20 2.00 2.80 3.50 4.75 Quince .10 .14 Daphne .50 .75 1.00 Daphne .25 .35 .45 Deutzia .10 .12
3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B. CYDONIA japonica, 4'-5' 12 to 18 in. 18 to 24 in. DAPHNE cneorum, 12"-18" 9 to 12 in., 5 in. pots. 12 to 15 in., 6 in. pots. 15 to 18 in., 7 in. pots. — mezereum, 4' 10 to 12 in. 12 to 15 in. 15 to 18 in. DEUTZIA gracilis, 3' 9 to 12 in.	1.80 3.00 4.20 5.25 7.15 Floo .15 .22 .75 1.10 1.50 Fel .37 .52 .70 S1 .15 .18	1.50 2.50 3.50 4.40 5.85 wering .12 .20 Rose I .60 .95 1.25 oruary I .30 .45 .55	1.20 2.00 2.80 3.50 4.75 Quince .10 .14 Daphne .50 .75 1.00 Daphne .25 .35 .45 Deutzia .10 .12

DEUTZIA—continued	Unit 1-4	Price in Q 5-24	uantities 25-249
— — rosea, 3'	Rose	Panicle	Deutzia
12 to 15 in	.15	.12	.10
15 to 18 in			.15
18 to 24 in		.25	
2 to 3 ft	.35	.30	.25
— lemoine:, 4'-5'	I	Lemoine	Deutzia
15 to 18 in		.12	.10
18 to 24 in		.20	.15
2 to 3 ft	30	.25	.20
— magnifica, 9'-10'		nt Flwd.	
18 to 24 in		.12	.10
2 to 3 ft		.15	.12 .16
4 to 5 ft		.25	
5 to 6 ft	.45	.37	.30
— Mont Rose, 4'-5'			
18 to 24 in		.20	
2 to 2½ ft	.30		
2½ to 3 ft	.40	.30	
— scabra candidissima, 9'-10'		owflake	
18 to 24 in		.12	.10 .12
3 to 4 ft		.22	.16
4 to 5 ft		.25	.20
5 to 6 ft		.37	.30
— scabra crenata fl. pl., 6'-8'	Doub	le Pink	Deutzia
18 to 24 in			.12
2 to 3 ft			
3 to 4 ft		.25	
— Pride of Rochester, 9'-10'			
18 to 24 in			.12 .14
3 to 4 ft			
4 to 5 ft			
5 to 6 ft	45		
DIERVILLA sessilifolia (lutea),	4'-5'		
		ush-hone	eysuckle
18 to 24 in		.15	
2 to 3 ft			
3 to 4 ft	35	.30	.25
ELAEAGNUS angustifolia, 15'-	18′	Russi	an-olive
18 to 24 in			.15
2 to 3 ft		.25	
3 to 4 ft			.30
4 to 5 ft			
8 to 10 ft		1.25	
— longipes, 6'-8'		herry El	aeagnus
18 to 24 in	45	.37	.30
2 to 3 ft	55		.37
3 to 4 ft		.60	
4 to 5 ft	90	.75	.60

ELAEAGNUS—continued	Unit Pr	ice in Quar 5-24	
— pungens reflexa, 10'-12' 12 to 18 in., 3 in. pots	.30	nze Elae: .25	agnus .20
— umbellata, 8'-10'		mn Elaea	
2 to 3 ft	.45	.37	.30
3 to 4 ft	.50	.45	.35
4 to 5 ft	.70 .8 5	.55 .70	.45
ELSHOLTZIA stauntoni, 4'-5'	.00	• • • •	.00
12 to 15 in	.25	.20	.15
15 to 18 in	.30	.25	.20
18 to 24 in	.35	.30	.25
ENKIANTHUS campanulatus, 20'		n Enkia	nthua
12 to 15 in., B. & B		.75	iitiius
15 to 18 in., B. & B	1.25	1.00	
18 to 24 in., B. & B	1.50	1.25	
EUONYMUS alatus, 9'-10'		ged Euon	
18 to 24 in	.27	.22 .27	.18
3 to 4 ft	.33 .45	.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75 .90	.60 .75	.50
	•20	.75	.00.
— — compacta, 4'-5' 12 to 18 in	.30	.25	.20
18 to 24 in	.35	.30	.25
2 to 3 ft	.50 .70	.45 .55	.35
— americanus, 7'-8'		ook Euon	
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
— bungeanus, 12'-14' Win			
2 to 3 ft	.30 .35	.25 .30	.20
4 to 5 ft	.45	.37	.30
5 to 6 ft	.60	.50	.40
6 to 7 ft	.75	.60	.50
— europaeus, 12'-14' Eu 2 to 3 ft.	ropean .30	Burning .25	gbush .20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.60 .80	.50 .65	
			7/70 13 C
* — patens (sieboldianus), 6'-8' \$ 12 to 15 in	.20	ing Euon .16	ymus
15 to 18 in	.25	0	
18 to 24 in	.30	.25	
— radicans, climbing to 15'		Wintercr	eeper
3 to 6 in., 1 year	.15	.12	.10
6 to 9 in., 2 year	.20	.15	

EUONYMUS—continued	Unit P 1-4	rice in Quar 5-24	
——————————————————————————————————————	Glossy	Winterci	reeper
9 to 12 in., 2 year	.20	.15	
12 to 15 in., 2 year	.25	.20	
15 to 18 in., 3 year	.30	.25	
——————————————————————————————————————	leaved	Winterci	reeper
9 to 12 in., 2 year			.15
12 to 15 in., 3 year	.30	.25	.20
15 to 18 in., 3 year	.35	.30	.25
— — minimum (kewensis), 6"-12	" Baby	w Winterco	reeper
3 in. pots			
— variegatus,12"-15" Variega			
			reeper
9 to 12 in., 2 year			
— — vegetus, 3'-4'			
9 to 12 in., 2 year	.30		
12 to 15 in., 3 year	.37	.30	.25
15 to 18 in., 3 year			
EXOCHORDA grandiflora, 6'-9'		mon Pear	rlbush
18 to 24 in		.15	.12
2 to 3 ft		.25	.20
3 to 4 ft		.30	
4 to 5 ft		.37 .55	.30
3 to 0 1t	.70	.33	.43
FAGUS americana, 75'-100'	A	American	Beech
2 to 3 ft., B. & B	1.50	1.25	
3 to 4 ft., B. & B	1.90		1.25
4 to 5 ft., B. & B	2.80		
5 to 6 ft., B. & B	3.75	3.00	2.50
6 to 8 ft., B. & B			3.50
— sylvatica, 75'-100'		European	
18 to 24 in., B. & B		.60	.50
2 to 3 ft., B. & B		.95	.75
3 to 4 ft., B. & B	1.50 2.25	1.25 1.90	1.00 1.50
4 to 5 ft., B. & B	3.00	2.50	2.00
6 to 8 ft., B. & B	4.50		
8 to 10 ft., B. & B.			3.75
— — asplenifolia, 20'-30'		Fernleaf	Beech
2 to 3 ft., B. & B			
3 to 4 ft., B. & B			
4 to 5 ft., B. & B	4.00		
5 to 6 ft., B. & B			
— — pendula, 25'-40'		Weeping	Beech
3 to 4 ft., B. & B	3.25		
4 to 5 ft., B. & B	4.50		
5 to 6 ft., B. & B			
6 to 8 ft., B. & B		6.25	
8 to 10 ft., B. & B	10.00	8.00	
Our Patail Catalogue gives a	comple	to list of	all

Our Retail Catalogue gives a complete list of all our material and includes many scarce and unusual varieties. Send for a copy if interested.

FAGUS—continued	Unit Pri 1-4	ce in Qua 5-24	intities 25-249
—— purpurea, 60'-75' Pur	ple Eu	ropean	Beech
4 to 5 ft., B. & B		_	
5 to 6 ft., B. & B			
—— riversi, 40'-60' Riv	ers Eu	ropean	Beech
2 to 3 ft., B. & B	2.50		
3 to 4 ft., B. & B	3.50		
4 to 5 ft., B. & B	4.50		
FORSYTHIA intermedia, 6'-8'	Bor	der Fo	rsythia
18 to 24 in	.15	.12	.10
2 to 3 ft		.15	
3 to 4 ft	.25		
4 to 5 ft		.27	
5 to 6 ft	.45	.37	.30
— intermedia spectabilis, 6'-8' Sho	owy Bor	der Fo	rsythia
18 to 24 in	.16	.14	.12
2 to 3 ft	.18	.16	
3 to 4 ft	.25		
4 to 5 ft	.35		
5 to 6 ft	.45	.37	.30
— ovata, 6'-8'		ean Fo	•
18 to 24 in		.27	
2 to 3 ft	.40	.30	.25
— suspensa, 4'-6'	Weep	ing Fo	rsythia
18 to 24 in	.16	.12	.10
2 to 3 ft	.20	.17	.15
3 to 4 ft	.25	.22	.20
4 to 5 ft	.35	.30	
5 to 6 ft	.50	.45	.35
— — fortunei, 7'-8'	Fort	une Fo	rsythia
18 to 24 in	.15	.12	
2 to 3 ft	.18		
3 to 4 ft	.22		.16
4 to 5 ft	.30	.25	
5 to 6 ft	.45	.37	.30
— viridissima, 7'-8'		stem Fo	
18 to 24 in		.12	
2 to 3 ft			.12
3 to 4 ft		.20	
4 to 3 it	.50	.23	.20
FRAXINUS americana, 70'-80'			ite Ash
6 to 8 ft		.75	.60
8 to 10 ft		.95	
8 to 10 ft., 1½ to 1½ in			1.00
10 to 12 ft., 1½ to 1¾ in		1.50	
12 to 14 ft., 13/4 to 2 in		2.00 2.50	
13 to 15 ft., 2 to $2\frac{1}{2}$ in	3.00	2.50	
— lanceolata, (viridis) 50'60'		Gre	een Ash
6 to 8 ft	1.10	.95	.75
		.,,	

		Price in Quan	
,	1-4		
GINKGO biloba (Salisburia), 50'			
6 to 8 ft 8 to 10 ft	2.40 3.00	2.00 2.50	1.60
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.75		2.00 2.50
10 to 12 ft., 1½ to 1¾ in	4.75	4.00	3.25
10 to 12 ft., 13/4 to 2 in	6.25	5.25	4.25
12 to 14 ft., 2 to $2\frac{1}{4}$ in	8.25	7.00	5.50
12 to 14 ft., 2½ to 2½ in	10.50	8.00	
14 to 16 ft., $2\frac{1}{2}$ to 3 in	13.50	10.50	9.00
GLEDITSIA triacanthos, 60'-70'		on Honeylo	cust
4 to 6 ft		.50	.40
6 to 8 ft	.90	.75	.60
8 to 10 ft	1.25	1.00	
GYMNOCLADUS dioica, 40'-50'		tucky Coffee	etree
4 to 5 ft			1.00
5 to 6 ft			
6 to 7 ft			1.60
8 to 10 ft.			3.00
{ H }}			0.00
HALESIA tetraptera, 12'-15'		Great Silve	rbell
3 to 4 ft		.37	
4 to 5 ft		.50	
5 to 6 ft		.75	.60
6 to 8 ft. 8 to 10 ft.			.75 1.00
HAMAMELIS virginiana, 10'-12'		_	
2 to 3 ft		.37	.30
3 to 4 ft	.60		.40
4 to 5 ft	.75	.60	.50
5 to 6 ft			.70
6 to 8 ft	1.35		.90
HEDERA colchica dentata, 20'-50		*	
9 to 12 in., 3 in. pots	.25		
— helix, 20'-50'		English	-
12 to 18 in., 3 in. pots			
— — baltica, 15'-25'		rdy English	Ivy
12 to 18 in., 3 in. pots			
HIBISCUS syriacus (Althea), 10	'-12'	Shrub-al	thea
anemonaeflorus, double pink.			,
ardens, double rose violet		stis, single h	olue.
Boule de Feu, double bright re		:4	
Comte de Haimont, double pin Jeanne d'Arc, semi-double wh		ite mottied.	•
purpureus plenus, double purp			
rubis, single red. Violet cl		ouble red re	ose.
W. R. Smith, single white.	,		
2 to 3 ft	.27	.22	.16
3 to 4 ft	.33	.27	.22
4 to 5 ft	.45		.30
5 to 6 ft	.60	.50	
6 to 7 ft	.80 1.00	.65 .80	
/ to 0 It	1.00	.00	

	Unit	Price in Quan	tition
HIBISCUS—continued	1-4	7	.5-249
- Variegata, 6'-8' Variegated le	eaved	Rose-of-Sh	aron
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
HYDRANGEA arb. grandiflora al			
(sterilis), 4'-5'		vhill Hydra	
18 to 24 in	.30	.25	.20
3 to 4 ft	.52	.45	.25
— paniculata (type), 8'-9'	Par	nicle Hydra	_
18 to 24 in	.18	.15	.12
2 to 3 ft	.22	.20	.15
3 to 4 ft	.37 .52	.30 .45	.25 .35
— grandiflora, 8'-9' 18 to 24 in	.27	egee Hydra .22	ingea 16.
2 to 3 ft	.33	.27	.10
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft			
——— standards		Tree Hydra .50	angea .40
2 to 3 ft., medium	.60 .75	•	.50
4 to 5 ft., first class	.90	.75	.65
5 to 6 ft., first class	1.35	1.10	.90
— quercifolia, 3'-4'		leaf Hydra	ingea
18 to 24 in	.30	.25	
2 to 3 ft	.45		
HYPERICUM aureum, 3'-4'			swort
18 to 24 in		.25	.20
2 to 3 ft	.37		.25
3 to 4 ft	.45	.37	.30
— densiflorum, 4'-5'	20	۵ť	20
18 to 24 in	.30		.20
$2\frac{1}{2}$ to 3 ft	.45	.37	.30
3 to 4 ft	.52	.45	.35
— kalmianum, 3'-5'		Calm Hyper	
18 to 24 in	.30	.25 .30	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.70	.55	.45
— moserianum, 2'		Goldfl	- 0
9 to 12 in., 3½ in. pots		.25 .30	.20
12 to 15 in., 4 in. pots		.50	.40
, , , , , , , , , , , , , , , , , , , ,			
ILEX crenata, 8'-10'		Japanese	
12 to 15 in., B. & B	.75	.60	.50
15 to 18 in., B. & B		.95 1.25	.75
18 to 24 in., B. & B		1.23	1.50
2½ to 3 ft., B. & B		2.20	1.75

ILEX—continued	Unit Pri	ice in Qua 5-24	
——————————————————————————————————————		_	_
9 to 12 in., B. & B		.70	.55
12 to 15 in., B. & B		1.00	.85
15 to 18 in., B. & B	1.75	1.50	
18 to 24 in., B. & B.			
— microphylla, 6'-8' Little			
12 to 15 in., B. & B	1.10 1.50	.95 1.25	
18 to 24 in., B. & B			
2 to 2½ ft., B. & B	3.00	2.50	
2½ to 3 ft., B. & B	4.10	3.50	
— glabra, 5'-6'	2.00		kberry
	2.00 2.50		
2 to 2½ ft., B. & B		2.50	
— opaca, 45'-50'		nerican	Holly
18 to 24 in., B. & B	1.10	.95	.75
2 to 3 ft B. & B	2.25	1.90	1.50
3 to 4 ft B. & B	3.40	2.80	2.25
4 to 5 ft., B. & B 5 to 6 ft., B. & B	4.50 5.50	3.75 4.50	3.00
6 to 7 ft., B. & B	7.50	6.00	
— verticillata (prinos), 6'-8'		Winte	rberry
2 to 3 ft	.37	.30	.25
3 to 4 ft	.45	.37	
4 to 5 ft	.52 .70	.45	.35 .45
6 to 7 ft	.90	.75	
INDIGOFERA potanini, 6'	F	otanin	Indigo
18 to 24 in	.70	.55	
ITEA virginica, 3'-4'		Swe	etspire
18 to 24 in	.37	.30	
2 to 2½ ft	.45	.37	
$2\frac{1}{2}$ to 3 ft	.70 .90	.55 .75	
	.70	., 5	.00
		7 · /	
JASMINUM nudiflorum, 3'		inter J	
JASMINUM nudiflorum, 3' 12 to 18 in	.37	.30	.25
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45	.30 .37	.25 .30
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45	.30 .37	.25 .30
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45 .60	.30 .37	.25 .30 .40
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45 .60	.30 .37 .50	.25 .30 .40
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45 .60 .37 C1	.30 .37 .50 .30 ninese J	.25 .30 .40 .25 funiper .75
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45 .60 .37 C1 1.10 1.50	.30 .37 .50 .30 ninese J .95 1.25	.25 .30 .40 .25 uniper .75 1.00
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45 .60 .37 C1 1.10 1.50 2.25	.30 .37 .50 .30 ninese J .95 1.25 1.90	.25 .30 .40 .25 funiper .75 1.00 1.50
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45 .60 .37 C1 1.10 1.50 2.25 3.40	.30 .37 .50 .30 ninese J .95 1.25 1.90	.25 .30 .40 .25 uniper .75 1.00 1.50 2.25
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45 .60 .37 C1 1.10 1.50 2.25 3.40 4.10	.30 .37 .50 .30 ninese J .95 1.25 1.90 2.80 3.50	.25 .30 .40 .25 uniper .75 1.00 1.50 2.25
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45 .60 .37 C1 1.10 1.50 2.25 3.40 4.10 6' to 7	.30 .37 .50 .30 hinese J .95 1.25 1.90 2.80 3.50	.25 .30 .40 .25 uniper .75 1.00 1.50 2.25 2.75
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45 .60 .37 C1 1.10 1.50 2.25 3.40 4.10 6' to 7 eleaf C1	.30 .37 .50 .30 ninese J .95 1.25 1.90 2.80 3.50 ,	.25 .30 .40 .25 funiper .75 1.00 1.50 2.25 2.75 funiper .40
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45 .60 .37 C1 1.50 2.25 3.40 4.10 6' to 7 eleaf C1	.30 .37 .50 .30 ninese J .95 1.25 1.90 2.80 3.50 hinese J .50	.25 .30 .40 .25 funiper .75 1.00 1.50 2.25 2.75 funiper .40 .50
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45 .60 .37 C1 1.10 1.50 2.25 3.40 4.10 6' to 7 eleaf C1	.30 .37 .50 .30 ninese J .95 1.25 1.90 2.80 3.50 ,	.25 .30 .40 .25 funiper .75 1.00 1.50 2.25 2.75 funiper .40 .50
JASMINUM nudiflorum, 3' 12 to 18 in	.37 .45 .60 .37 C1 1.10 1.50 2.25 3.40 4.10 6' to 7 eleaf C1 .60 .75 1.00 1.50	.30 .37 .50 .30 hinese J .95 1.25 1.90 2.80 3.50 hinese J .50 .60	.25 .30 .40 .25 funiper .75 1.00 1.50 2.25 2.75 funiper .40 .50 .65 .80

JUNIPERUS—continued		rice in Qu	
	1-4	5-24	25-249
— — columnaris (pyramidalis),			
Blue Colum	nnar C	hinese.	Juniper
18 to 24 in., B. & B		.75	.60
2 to 3 ft., B. & B			
3 to 4 ft., B. & B 4 to 5 ft., B. & B	2.25 3.30	1.90 2.75	1.50 2.20
5 to 6 ft., B. & B	4.20		
6 to 7 ft., B. & B			
7 to 8 ft., B. & B			
8 to 10 ft., B. & B			6.00
— chinensis columnaris viridis, 18		hinogo	Luninon
Green Colu			
18 to 24 in., B. & B 2 to 3 ft., B. & B	1.10	.60 .95	.50
3 to 4 ft., B. & B	1.90		
4 to 5 ft., B. & B	2.60	2.20	
5 to 6 ft., B. & B	3.40	2.80	2.25
6 to 7 ft., B. & B	4.50	3.75	3.00
7 to 8 ft., B. & B			
— keteleeri, 15'-18'		eleer Re	
18 to 24 in., B. & B	.90 1.45	.75 1.20	.60
3 to 4 ft., B. & B			
4 to 5 ft., B. & B	3.30	2.75	
5 to 6 ft., B. & B	4.20	3.50	2.80
6 to 7 ft., B. & B	5.60	4.75	3.75
— neaboriensis, 7'-8' Cor		hinese .	Juniper
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B		1.00	
— pfitzeriana, 5'-6'		Pfitzer J	Tuniner
	.75	.60	.50
12 to 15 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B	1.50	1.25	
2 to 2½ ft., B. & B	1.90	1.50	1.25
2½ to 3 ft., B. & B	2.25	1.90	
3 to 4 ft., B. & B		2.50	
4 to 5 ft., B. & B 5 to 6 ft., B. & B	5.25 6.75	4.40 5.50	3.50
— sargenti (green), 1½'		argent 3	Tuniner
9 to 12 in., B. & B	.60	.50	
12 to 15 in., B. & B	.75		
15 to 18 in., B. & B		.90	
18 to 24 in., B. & B.	1.90	1.50	
3 to 4 ft, B. & B	6.00	5.00	
		hinese .	Juniper
15 to 18 in., B. & B			
18 to 24 in., B. & B			
	1.00	1.50	
	60	5 0	
18 to 24 in., B. & B 2 to 2½ ft., B. & B	.60 .75	. 5 0 . 6 0	
2½ to 3 ft., B. & B	1.00	.80	
3 to 4 ft., B. & B	1.45	1.20	
4 to 5 ft., B. & B	2.00		

JUNIPERUS—continued	Unit P	~	uantities 25-249
— communis, 15'-25'	Co	mmon	Juniper
2 to 3 ft., B. & B	1.25	1.00	
3 to 4 ft., B. & B	1.90 2.70		
— communis aurea, 6'-10'			T
18 to 24 in., B. & B	.90		Juniper
	1.20	.75 1.00	
$2\frac{1}{2}$ to 3 ft., B. & B	1.50		
3 to 4 ft., B. & B		1.90 2.80	
——————————————————————————————————————			Juniper
2 to 2½ ft., B. & B	1.00	.80	Jumper
		1.20	
3 to 4 ft., B. & B	2.00	1.60	
4 to 5 ft., B. & B 5 to 6 ft., B. & B			
—— cracovica, 20'-30'	4.20		Juniper
	.90	.75	_
			1.00
3 to 4 ft., B. & B	1.80	1.50	1.20
4 to 5 ft., B. & B	2.60	2.20	
— hibernica, 20'-30'			Juniper
15 to 18 in., B. & B	.45 .70	.37	
	.90	.75	.60
2½ to 3 ft., B. & B		.95	.75
3 to 4 ft., B. & B			
4 to 5 ft., B. & B 5 to 6 ft., B. & B			
6 to 7 ft., B. & B			
— — suecica, 20'-30'	S	wedish	Juniper
18 to 24 in., B. & B			
,	.80		
2½ to 3 ft., B. & B			
4 to 5 ft., B. & B			2.00
——— nana, 5'-6'			
18 to 24 in., B. & B			
2 to 2½ ft., B. & B	1.00	.80 1.10	
3 to 3½ ft B. & B	2.00	1.75	
— excelsa stricta, 10'12'	Spiny	Greek	Juniper
9 to 12 in., B. & B			
12 to 15 in., B. & B	.60 .90		
18 to 24 in., B. & B			
2 to 2½ ft., B. & B	1.50		
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B			
5 to 6 ft., B. & B		3.75	
— horizontalis (sabina prostrata		•	- C
10 . 15			ng Savin
12 to 15 in., B. & B		.40 .50	
18 to 24 in., B. & B	1.00	.80	
2 to 2½ ft., B. & B	1.35	1.00	

— depressa plumosa	JUNIPERUS—continued	Unit 1-4	Price in Qua 5-24	
12 to 15 in, B. & B.	— — depressa plumosa Plum	ed Sp	reading Ju	aniper
15 to 18 in., B. & B.				
18 to 24 in, B. & B.				
2 to 2½ ft, B. & B.	18 to 24 in R & R			
2½ to 3 ft., B. & B. 2.25 1.90 1.50 3 to 4 ft., B. & B. 2.85 2.35 1.90 — douglasi, 1'-1½' Waukegan Juniper 12 to 15 in., B. & B				
3 to 4 ft., B. & B. 2.85 2.35 1.90 — douglasi, 1'-1½' Waukegan Juniper 12 to 15 in., B. & B. .60 .50 .40 15 to 18 in., B. & B. .90 .75 .60 18 to 24 in., B. & B. 1.25 1.00 .80 2 to 2½ ft., B. & B. 1.50 1.25 — — glauca, 1'-1½' Blue Creeping Savin 15 to 18 in., B. & B. 90 .70 — 18 to 2½ in., B. & B. 1.25 1.00 — 2 to 2½ ft., B. & B. 1.50 1.25 — 2 to 2½ ft., B. & B. 1.50 1.25 — 2 to 2½ ft., B. & B. 1.50 1.25 — 2 to 1½ ft., B. & B. 2.10 1.75 — 18 to 24 in., B. & B. 90 .70 — 12 to 15 in., B. & B. 90 .70 — 2 to 2½ ft., B. & B. 1.25 1.00 — 12 to 15 in., B. & B. 1.50 1.25 1.00 — 18 to 24 in., B. & B. 1.10 .95 .75 18 to 24 in., B. & B.				
—— douglasi, 1'-1½' Waukegan Juniper				
12 to 15 in, B. & B.				
15 to 18 in, B. & B	· ·		_	_
18 to 24 in., B. & B.				
2 to 2½ ft., B. & B. 1.50 1.25 — glauca, 1'-1½' Blue Creeping Savin 15 to 18 in., B. & B. .90 .70 18 to 2½ in., B. & B. 1.25 1.00 2 to 2½ ft., B. & B. 1.50 1.25 2½ to 3 ft., B. & B. 2.10 1.75 — hudsonica, 1'-1½' Hudson Juniper 15 to 18 in., B. & B. .60 .50 18 to 24 in., B. & B. .90 .70 2 to 2½ ft., B. & B. 1.25 1.00 - japonica, 6'-8' Japanese Juniper 12 to 15 in., B. & B. 1.10 .95 15 to 18 in., B. & B. 1.10 .95 .75 18 to 24 in., B. & B. 1.50 1.25 1.00 2 to 2½ ft., B. & B. 1.50 1.25 1.00 2 to 2½ ft., B. & B. 1.50 1.25 1.00 2 to 2½ ft., B. & B. 1.50 1.25 1.00 2 to 2½ ft., B. & B. 1.50 1.25 1.00 2 to 2½ ft., B. & B. 1.20 1.00 1.25	10 to 18 iii., B. & B			_
Slue Creeping Savin	18 to 24 m., B. & B	1.25	1.00	.80
15 to 18 in., B. & B				~
18 to 24 in., B. & B.	•			Savin
2 to 2½ ft., B. & B.				
2½ to 3 ft., B. & B.				
— hudsonica, 1'-1½' 15 to 18 in., B. & B				
15 to 18 in., B. & B.			1./5	
18 to 24 in., B. & B	— — hudsonica, 1'-1½'		Hudson Ju	uniper
2 to 2½ ft., B. & B. 1.25 1.00 — — japonica, 6'-8' Japanese Juniper 12 to 15 in., B. & B. .75 .60 .50 15 to 18 in., B. & B. 1.10 .95 .75 18 to 24 in., B. & B. 1.50 1.25 1.00 2 to 2½ ft., B. & B. 1.90 1.50 1.25 2½ to 3 ft., B. & B. 2.60 2.20 1.75 3 to 3½ ft., B. & B. 3.75 3.00 2.50 — aurea variegata, 5'-6' Variegated Jap. Juniper 18 to 24 in., B. & B. 1.25 — 2 to 2½ ft., B. & B. 2.00 — 2½ to 3 ft., B. & B. 2.00 — 2½ to 15 in., B. & B. 2.75 — — sabina, 6'-7' Savin Juniper 12 to 15 in., B. & B. 90 .75 .60 18 to 24 in., B. & B. 1.20 1.00 .80 2 to 2½ ft., B. & B. 1.50 1.25 1.00 2½ to 3 ft., B. & B. 1.50 1.25 1.00 2½ to 3 ft., B. & B. 1.50 1.25 1.00 2½ to 3 ft.				
— japonica, 6'-8' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 150 1.25 1.00 2 to 2½ ft., B. & B. 1.90 1.50 1.25 2½ to 3 ft., B. & B. 2.60 2.20 1.75 3 to 3½ ft., B. & B. 2.60 2.20 1.75 3 to 3½ ft., B. & B. 2.75 —— 2 to 2½ ft., B. & B. 2.00 —— 2½ to 3 ft., B. & B. 2.00 —— 2½ to 3 ft., B. & B. 2.75 —— — sabina, 6'-7' Savin Juniper 12 to 15 in., B. & B. 2.00 —— 2½ to 18 in., B. & B. 2.75 —— — sabina, 6'-7' Savin Juniper 12 to 15 in., B. & B. 2.00 2½ to 3 ft., B. & B. 2.00 2½ to 3 ft., B. & B. 2.75 — sabina, 6'-7' Savin Juniper 12 to 15 in., B. & B. 2.00 2½ to 3 ft., B. & B. 2.00 2½ to 3 ft., B. & B. 2.00 2½ to 3 ft., B. & B. 3.00 2½ to 3 ft., B. & B. 1.20 1.00 .80 2 to 2½ ft., B. & B. 1.50 1.25 1.00 2½ to 3 ft., B. & B. 1.90 1.50 1.25 3 to 3½ ft., B. & B. 2.25 1.90 1.50 3½ to 4 ft., B. & B. 3.00 2.50 2.00 4 to 5 ft., B. & B. 4.50 3.75 3.00 — squamata meyeri, 3'-4' Meyer Juniper 9 to 12 in., B. & B. 4.50 3.75 3.00 — virginiana, 35'-50' Redcedar 5 to 6 ft., B. & B. 3.75 3.00 —— 7 to 8 ft., B. & B. 5.25 4.50 —— 8 to 10 ft., B. & B. 5.25 4.50 —— 8 to 10 ft., B. & B. 8.00 6.50				
12 to 15 in., B. & B.	2 to 2½ ft., B. & B	1.25	1.00	
15 to 18 in., B. & B.				
18 to 24 in., B. & B.	12 to 15 in., B. & B	./5	.60	.50
2 to 2½ ft., B. & B			.95	
2½ to 3 ft., B. & B. 2.60 2.20 1.75 3 to 3½ ft., B. & B. 3.75 3.00 2.50 — aurea variegata, 5'-6' Variegated Jap. Juniper 18 to 24 in., B. & B. 1.25 — 2 to 2½ ft., B. & B. 2.00 — 2½ to 3 ft., B. & B. 2.75 — — sabina, 6'-7' Savin Juniper 12 to 15 in., B. & B. .60 .50 .40 15 to 18 in., B. & B. .90 .75 .60 18 to 24 in., B. & B. .90 .75 .60 18 to 24 in., B. & B. 1.20 1.00 .80 2 to 2½ ft., B. & B. 1.50 1.25 1.00 2½ to 3 ft., B. & B. 1.90 1.50 1.25 3 to 3½ ft., B. & B. 3.00 2.50 2.00 4 to 5 ft., B. & B. 3.00 2.50 2.00 4 to 5 ft., B. & B. 90 .75 .60 2 to 2½ ft. 2.25 1.90 1.50 2½ to 3 ft. 3.8 8.0 2.50 4.0 12 to 15 in., B. & B. .90 .75 .60<				
3 to 3½ ft., B. & B. 3.75 3.00 2.50 ——aurea variegata, 5′-6′ Variegated Jap. Juniper 18 to 24 in., B. & B. 1.25 — — 2 to 2½ ft., B. & B. 2.00 — — 2½ to 3 ft., B. & B. 2.75 — — ——sabina, 6′-7′ Savin Juniper 12 to 15 in., B. & B. 90 .75 .60 18 to 24 in., B. & B. 1.20 1.00 .80 2 to 2½ ft., B. & B. 1.50 1.25 1.00 2½ to 3 ft., B. & B. 1.50 1.25 1.00 2½ to 3 ft., B. & B. 1.90 1.50 1.25 3 to 3½ ft., B. & B. 1.90 1.50 1.25 3 to 3½ ft., B. & B. 3.00 2.50 2.00 4 to 5 ft., B. & B. 3.00 2.50 2.00 4 to 5 ft., B. & B. 90 .75 .60 □ squamata meyeri, 3′-4′ Meyer Juniper 9 to 12 in., B. & B. 90 .75 .60 2 to 2½ ft. 2.25 1.90 1.50 2½ to 3 ft. 3.8 B. 90 .75 .60 2 to 2½ ft. 2.25 1.90 1.50 - yiginiana, 35′-50′ Redcedar 5 to 6 ft., B. & B. 2.50 2.10 — 6 to 7 ft., B. & B. 3.75 3.00 — virginiana, 35′-50′ Redcedar 5 to 8 ft., B. & B. 3.75 3.00 — 7 to 8 ft., B. & B. 3.75 3.00 — 7 to 8 ft., B. & B. 5.25 4.50 — 8 to 10 ft., B. & B. 5.25 4.50 — 8 to 10 ft., B. & B. 5.25 4.50 —				
—— aurea variegata, 5'-6' Variegated Jap. Juniper 18 to 24 in., B. & B.				
18 to 24 in., B. & B. 1.25 — — 2 to 2½ ft., B. & B. 2.00 — — 2½ to 3 ft., B. & B. 2.75 — — - sabina, 6'-7' Savin Juniper 12 to 15 in., B. & B. .60 .50 .40 15 to 18 in., B. & B. .90 .75 .60 18 to 24 in., B. & B. .90 .75 .60 18 to 24 in., B. & B. 1.20 1.00 .80 2 to 2½ ft., B. & B. 1.50 1.25 1.00 2½ to 3 ft., B. & B. 1.90 1.50 1.25 3½ to 4 ft., B. & B. 3.00 2.50 2.00 4 to 5 ft., B. & B. 4.50 3.75 3.00 - squamata meyeri, 3'-4' Meyer Juniper 9 to 12 in., B. & B. .60 .50 .40 12 to 15 in., B. & B. .90 .75 .60 2 to 2½ ft. 2.25 1.90 1.50 2½ to 3 ft. 3.40 2.80 2.25 3 to 3½ ft. 4.50 3.75 3.00 - virginiana, 35'-50' Redcedar				
2 to 2½ ft., B. & B. 2.00 — — 2½ to 3 ft., B. & B. 2.75 — — — sabina, 6′-7′ Savin Juniper 12 to 15 in., B. & B. .60 .50 .40 15 to 18 in., B. & B. .90 .75 .60 18 to 24 in., B. & B. 1.20 1.00 .80 2 to 2½ ft., B. & B. 1.50 1.25 1.00 2½ to 3 ft., B. & B. 1.90 1.50 1.25 3½ to 4 ft., B. & B. 2.25 1.90 1.50 3½ to 4 ft., B. & B. 3.00 2.50 2.00 4 to 5 ft., B. & B. 4.50 3.75 3.00 — squamata meyeri, 3′-4′ Meyer Juniper 9 to 12 in., B. & B. .60 .50 .40 12 to 15 in., B. & B. .90 .75 .60 2 to 2½ ft. 2.25 1.90 1.50 2½ to 3 ft. 3.40 2.80 2.25 3 to 3½ ft. 4.50 3.75 3.00 — virginiana, 35′-50′ Redcedar 5 to 6 ft., B. & B. 3.75 3.00 —	——————————————————————————————————————		ted Jap. J	uniper
2½ to 3 ft., B. & B. 2.75 — - sabina, 6′-7′ Savin Juniper 12 to 15 in., B. & B. .60 .50 .40 15 to 18 in., B. & B. .90 .75 .60 18 to 24 in., B. & B. 1.20 1.00 .80 2 to 2½ ft., B. & B. 1.50 1.25 1.00 2½ to 3 ft., B. & B. 1.90 1.50 1.25 3 to 3½ ft., B. & B. 2.25 1.90 1.50 3½ to 4 ft., B. & B. 3.00 2.50 2.00 4 to 5 ft., B. & B. 4.50 3.75 3.00 - squamata meyeri, 3′-4′ Meyer Juniper 9 to 12 in., B. & B. .60 .50 .40 12 to 15 in., B. & B. .90 .75 .60 2 to 2½ ft. 2.25 1.90 1.50 2½ to 3 ft. 3.40 2.80 2.25 3 to 3½ ft. 4.50 3.75 3.00 - virginiana, 35′-50′ Redcedar 5 to 6 ft., B. & B. 2.50 2.10 — 6 to 7 ft., B. & B. 3.75 3.00 —				
— sabina, 6'-7' Savin Juniper 12 to 15 in., B. & B. .60 .50 .40 15 to 18 in., B. & B. .90 .75 .60 18 to 24 in., B. & B. 1.20 1.00 .80 2 to 2½ ft., B. & B. 1.50 1.25 1.00 2½ to 3 ft., B. & B. 1.90 1.50 1.25 3 to 3½ ft., B. & B. 2.25 1.90 1.50 3½ to 4 ft., B. & B. 3.00 2.50 2.00 4 to 5 ft., B. & B. 4.50 3.75 3.00 Squamata meyeri, 3'-4' Meyer Juniper 9 to 12 in., B. & B. .60 .50 .40 12 to 15 in., B. & B. .90 .75 .60 2 to 2½ ft. 2.25 1.90 1.50 2½ to 3 ft. 3.40 2.80 2.25 3 to 3½ ft. 3.40 2.80 2.25 3 to 6 ft., B. & B. 2.50 2.10 — 6 to 7 ft., B. & B. 3.75 3.00 — 7 to 8 ft., B. & B. 5.25 4.50 — 8 to 10 ft., B. & B. 8.00				
12 to 15 in., B. & B	27 ₂ to 3 It., B. & B	2.75		
15 to 18 in., B. & B.				
18 to 24 in., B. & B.	12 to 15 in., B. & B	.60		
2 to 2½ ft., B. & B.	15 to 18 in., B. & B	.90		
2½ to 3 ft., B. & B. 1.90 1.50 1.25 3 to 3½ ft., B. & B. 2.25 1.90 1.50 3½ to 4 ft., B. & B. 3.00 2.50 2.00 4 to 5 ft., B. & B. 4.50 3.75 3.00 — squamata meyeri, 3'-4' Meyer Juniper 9 to 12 in., B. & B. .60 .50 .40 12 to 15 in., B. & B. .90 .75 .60 2 to ½ ft. 2.25 1.90 1.50 2½ to 3 ft. 3.40 2.80 2.25 3 to 3½ ft. 4.50 3.75 3.00 — 6 to 7 ft., B. & B. 2.50 2.10 — 6 to 7 ft., B. & B. 3.75 3.00 — 7 to 8 ft., B. & B. 5.25 4.50 — 8 to 10 ft., B. & B. 8.00 6.50 —				
3 to 3½ ft., B. & B. 2.25 1.90 1.50 3½ to 4 ft., B. & B. 3.00 2.50 2.00 4 to 5 ft., B. & B. 4.50 3.75 3.00 — squamata meyeri, 3'-4' Meyer Juniper 9 to 12 in., B. & B				
3½ to 4 ft., B. & B. 3.00 2.50 2.00 4 to 5 ft., B. & B. 4.50 3.75 3.00 — squamata meyeri, 3'-4' Meyer Juniper 9 to 12 in., B. & B. .60 .50 .40 12 to 15 in., B. & B. .90 .75 .60 2 to 2½ ft. 2.25 1.90 1.50 2½ to 3 ft. 3.40 2.80 2.25 3 to 3½ ft. 4.50 3.75 3.00 — virginiana, 35'-50' Redcedar 5 to 6 ft., B. & B. 2.50 2.10 — 6 to 7 ft., B. & B. 3.75 3.00 — 7 to 8 ft., B. & B. 5.25 4.50 — 8 to 10 ft., B. & B. 8.00 6.50 —				
4 to 5 ft., B. & B. 4.50 3.75 3.00 — squamata meyeri, 3'-4' Meyer Juniper 9 to 12 in., B. & B. .60 .50 .40 12 to 15 in., B. & B. .90 .75 .60 2 to 2½ ft. 2.25 1.90 1.50 2½ to 3 ft. 3.40 2.80 2.25 3 to 3½ ft. 4.50 3.75 3.00 — virginiana, 35'-50' Redcedar 5 to 6 ft., B. & B. 2.50 2.10 — 6 to 7 ft., B. & B. 3.75 3.00 — 7 to 8 ft., B. & B. 5.25 4.50 — 8 to 10 ft., B. & B. 8.00 6.50 —				_ 1
— squamata meyeri, 3'-4' Meyer Juniper 9 to 12 in., B. & B. .60 .50 .40 12 to 15 in., B. & B. .90 .75 .60 2 to 2½ ft. 2.25 1.90 1.50 2½ to 3 ft. 3.40 2.80 2.25 3 to 3½ ft. 4.50 3.75 3.00 — virginiana, 35'-50' Redcedar 5 to 6 ft., B. & B. 2.50 2.10 — 6 to 7 ft., B. & B. 3.75 3.00 — 7 to 8 ft., B. & B. 5.25 4.50 — 8 to 10 ft., B. & B. 8.00 6.50 —				
9 to 12 in., B. & B				
12 to 15 in., B. & B		60		
2 to 2½ ft. 2.25 1.90 1.50 2½ to 3 ft. 3.40 2.80 2.25 3 to 3½ ft. 4.50 3.75 3.00 Pedcedar 5 to 6 ft., B. & B. 2.50 2.10 — 6 to 7 ft., B. & B. 3.75 3.00 — 7 to 8 ft., B. & B. 5.25 4.50 — 8 to 10 ft., B. & B. 8.00 6.50 —				
2½ to 3 ft. 3.40 2.80 2.25 3 to 3½ ft. 4.50 3.75 3.00 — virginiana, 35′-50′ Redcedar 5 to 6 ft., B. & B. 2.50 2.10 — 6 to 7 ft., B. & B. 3.75 3.00 — 7 to 8 ft., B. & B. 5.25 4.50 — 8 to 10 ft., B. & B. 8.00 6.50 —				
3 to 3½ ft. 4.50 3.75 3.00 — virginiana, 35′-50′ Redcedar 5 to 6 ft., B. & B. 2.50 2.10 — 6 to 7 ft., B. & B. 3.75 3.00 — 7 to 8 ft., B. & B. 5.25 4.50 — 8 to 10 ft., B. & B. 8.00 6.50 —				
— virginiana, 35'-50' Redcedar 5 to 6 ft., B. & B. 2.50 2.10 — 6 to 7 ft., B. & B. 3.75 3.00 — 7 to 8 ft., B. & B. 5.25 4.50 — 8 to 10 ft., B. & B. 8.00 6.50 —				
6 to 7 ft., B. & B	,		Re	dcedar
6 to 7 ft., B. & B	5 to 6 ft., B. & B	2.50	2.10	
7 to 8 ft., B. & B				
8 to 10 ft., B. & B 8.00 6.50 —			4.50	

JUNIPERUS—continued	Unit Price in Quantities 1-4 5-24 25-249		
—— burki, 10'-12'		Burks J	uniper
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B.	1.20 1.75 3.00 3.75 5.00 7.00	.75 1.00 1.50 2.50 3.00 4.00 5.50 7.50	
— — cannarti, 12'-15'	Car	nart Red	rehan
18 to 24 in., B. & B	1.10 1.50 2.20 3.00 4.50	.95 1.25 1.80 2.50 3.75 5.50	.75 1.00 1.45 2.00 3.00 4.50
— elegantissima, 12'-15'	Go	oldtip Red	dcedar
18 to 24 in., B. & B 2 to 2½ ft., B. & B 2½ to 3 ft., B. & B 3 to 4 ft., B. & B 4 to 5 ft., B. & B	1.10 1.50 2.20 3.00	.95 1.25 1.80 2.50 3.75	.75 1.00 1.45 2.00 3.00
— — glauca, 15'-20'	S	ilver Red	dcedar
18 to 24 in., B. & B. 2 to 2½ ft., B. &B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	.90 1.20 1.80 2.40 3.00 3.90	.75 1.00 1.50 2.00 2.50 3.25 4.40	.60 .80 1.20
—— globosa, 3'-4'	G	lobe Red	dcedar
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	3.00 3.75	2.50 3.00	
—— pendula, 25'-30'	Wee	ping Red	dcedar
3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	3.00 3.50		
—— pyramidalis, 35'-50'	Pyram	nidal Red	dcedar
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.80 2.40 3.75	1.50 2.00 3.00	.80 1.20
—— schotti, 12'-15'		chott Red	
18 to 24 in., B. & B	1.50 2.20 3.00	1.25 1.80	1.00 1.45

	Unit P	rice in Qua 5-24	
KALMIA angustifolia, 7'-8'		La	mbkill
18 to 24 in., B. & B 2 to 2½ ft., B. & B		1.50 2.00	
— latifolia, 8'-10'		2.00 Iountain	lourol
15 to 18 in., B. & B			-1aurei .75
18 to 24 in., B. & B		1.25	
2 to $2\frac{1}{2}$ ft., B. & B	2.25		
2½ to 3 ft., B. & B	3.00	2 50 3.00	
KERRIA japonica, 4'-5'	0., 0		Kerria
2 to 3 ft	.70		.45
KOELREUTERIA paniculata, 25		Varn	ishtree
4 to 5 ft	1.00		
5 to 6 ft	1.25		
6 to 7 ft	1.50 2.00		
KOLKWITZIA amabilis, 6'-8'	2.00	Reali	tybush
18 to 24 in	.50	.40	
2 to 3 ft	.75	.60	
3 to 4 ft	.90	.75	
LABURNUM vulgare, 25'-30'		Golde	nchain
18 to 24 in	.45	.37	
2 to 3 ft	.60	.50	
2 to 3 ft., 7 in. pots			
LARIX europaea (decidua), 50'-			Larch
2 to 3 ft., B. & B		.95	
3 to 4 ft., B. & B	1.50	1.25	1.00
4 to 5 ft., B. & B	2.25	1.90	
5 to 6 ft., B. & B	3.00 4.00	2.50 3.50	
8 to 10 ft., B. & B	5.25		
10 to 12 ft., B. & B	7.50	6.25	
12 to 14 ft., B. & B			
— leptolepis (kaempferi), 50'-60' 6 to 8 ft., B. & B		Japanese 2.50	Laren
8 to 10 ft., B. & B		2.80	
10 to 12 ft., B. & B	5.00		
12 to 14 ft., B. & B	7.50	6.25	
LESPEDEZA bicolor, 8'-10'		rub Bus	
4 to 5 ft			
— formosa (Desmodium pendulifi			
8'-10'		rple Busi	hclover
3 year	.25	_	
4 year	.30		
5 year, extra heavy			.30
LEUCOTHOE catesbaei, 3'-4'		ping Leu	
12 to 15 in., B. & B	.52 75	:45	.50
18 to 24 in, B. & B		.95	.75
2 to 2½ ft., B. & B		1.25	1.00

	Unit 1-4	Price in Quai 5-24	ntities 25-249
LIBOCEDRUS decurrens, 60'-75'		Incense	Cedar
3 to 4 ft., B. & B	4.25		
4 to 5 ft., B. & B	5.50		
5 to 6 ft., B. & B	7.00		
6 to 7 ft., B. & B.	9.00		
THURSTON AMERICAN 14/ 15/		A 1	Duimat
LIGUSTRUM amurense, 14'-15'	0.0	Amur	
18 to 24 in	.08	.06	/ ~
2 to 3 ft	.12	.09 .15	
	.10	.13	.12
— ibolium, 8'-10'		Ibolium l	
12 to 18 in	.08	.06	.05
18 to 24 in	.11	.09	.07
2 to 3 ft	.15	.12	.09
3 to 4 ft	.18	.15	.12
— ibota, 9'-10'		Ibota I	Privet
12 to 18 in.	.12	.10	.08
18 to 24 in	.18	.15	.12
2 to 3 ft	.22	.20	.16
3 to 4 ft	.33	.27	.22
— regelianum (cuttings), 5'-6	3′	Regal I	Privet
12 to 15 in	.37	.30	.25
15 to 18 in	.45	.37	.30
18 to 24 in	.52	.45	.35
2 to 3 ft	.70	.55	.45
— vicary, 8'-10'	Golde	en Ibota	Privet
18 to 24 in	.25	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft.	.40	.35	
- lucidum (macrophyllum), 20'-	25′	Glossy	Privet
15 to 18 in., 3½ in. pots	.45	.35	
18 to 24 in., 5 in. pots	.75		
18 to 24 in., B. & B	.60		
— ovalifolium, 12'-15'	C	alifornia l	Privet
12 to 18 in	.04	.02½	
18 to 24 in	.05		.021/2
2 to 3 ft	.07		.031/2
3 to 4 ft	.09		.041/2
4 to 5 ft	.15	.12	.10
— ovalifolium aureum, 8'-9'		Golden	Privet
12 to 18 in	.18	.15	.12
18 to 24 in	.22	.20	
2 to 3 ft	.30	.25	.20
— vulgare, 10'-12'	H	European I	Privet
2 to 3 ft	.15	.12	
3 to 4 ft	.22	.18	
4 to 5 ft	.30	.25	
5 to 6 ft	.45	.35	
*LIQUIDAMABAR styraciflua, 50	'-60'	Swee	etgum
4 to 6 ft		1.50	
6 to 8 ft	2.50	2.05	
8 to 10 ft., 1½ to 1¾ in	3.00	2.50	
8 to 10 ft., 13/4 to 2 in	3.75	3.00	2.50
10 to 12 ft., 2 to 2½ in	4.50		
10 to 12 ft., 2½ to 2½ in	5.25		

	Unit Prid	ce in Quar 5-24	
*LIRIODENDRON tulipifera, 60'.	-80′	Tuli	intree
4 to 6 ft	1.10	.95	.75
6 to 8 ft	1.50	1.25	
8 to 10 ft 8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.90 2.25	1.50 1.90	1.25
	2.70		
12 to 14 ft., 13/4 to 2 in		2.75	
LONICERA bella albida, 8'-9'			
	e Belle		
2 to 3 ft	.25	.20	.15
3 to 4 ft		.25	
4 to 5 ft	.37	.37	
6 to 7 ft	.60	.50	.40
	Winter		
18 to 24 in	.25	.20	.15
2 to 3 ft	.30		
3 to 4 ft	.37	.30	.25
4 to 5 ft	.52 apanese	.45	.35
2 year	.15		
4 year			.20
— — halliana, 15'-25' Hall Ja			
1 year, $2\frac{1}{2}$ in. pots			
2 year			
3 year	.22	.20	.14
- korolkowi floribunda Broad I	Blueleaf	Honey	suckle
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
— maacki, 8'-9'		Honey	
2 to 3 ft	.37		.25
3 to 4 ft	.52 .70	.45 .55	.35 .45
— — podocarpa, 8'-9'		Honey	
18 to 24 in		.25	.20
2 to 3 ft		.30	
— morrowi, 7'-8'	Morrow	Honey	suckle
18 to 24 in		.20	.14
2 to 3 ft		.22	.18
3 to 4 ft		.30	.25
— nitida, 3'		Honey.	suckle
6 to 9 in., 3 in. pots 9 to 12 in., 4 in. pots	.25	.30	
12 to 15 in., 5 in. pots		.40	
15 to 18 in., 6 in. pots	.60	.50	
— pileata, 1½'-2'	Privet	Honey	suckle
6 to 9 in., 3 in. pots		.25	
9 to 12 in., 4 in. pots	.45	.35	
.			

LONICERA—continued	Unit P		uantities 25-249
— punicea	ange Re		
3 year	27		
4 year	37 45	.30	.25
5 year	52	.37	***
•			
- ruprechtiana, 8'-9' Ma	nchurian	Hone	ysuckle
2 to 3 ft	22	.20	.14
3 to 4 ft	27	.22	.18
4 to 5 ft	33	.27	·
5 to 6 ft	37	.30	.25
— tatarica, Pink and White, 9'-1			
18 to 24 in	Tatarian		suckle
18 to 24 in	18	.15	.12
3 to 4 ft	22 27	.20 .22	.15
4 to 5 ft	33	.27	.18
5 to 6 ft	37	.30	.25
		.00	
— pulcherrima, 9'-10' Bright Red '	Tatarian	Honey	guekla
18 to 24 in	.25	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.35	.30
4 to 5 ft	.52	.45	.40
sibirica 0'-10' Dod t	Πα . 4 α	**	
—— sibirica, 9'-10' Red 7	ratarian		suckle
2 to 3 ft	.25	.20	
4 to 5 ft	.30 .45	.25 .35	
LYCIUM chinense, 10'-12' Chi	inese Ma	itrimon	y-vine
18 to 24 in	.15	.12	
2 to 3 ft	.18	.15	
3 to 4 ft	.22	.20	.15
			•
MACNOTTA			
MAGNOLIA glauca, 15'-20'		Swe	eetbay
18 to 24 in., B. & B	.90	.75	
2 to 3 ft., B. & B	1.25	1.00	
3 to 4 ft., B. & B	2.00	1.60	
5 to 6 ft., B. & B.	2.50 3.25	2.00 2.75	
6 to 8 ft., B. & B	4.50	3.75	
— kobus, 20'-30'			
	Kot	ous Mag	gnolia
2 to 3 ft., B. & B		.75	
4 to 5 ft., B. & B.	1.25 2.00	1.00	
5 to 6 ft., B. & B.		2.00	
o to 8 tt., B. & B	3.50	2.75	
8 to 10 ft., B. & B.	5.00		
— macrophylla, 25'-40'	•	af Mag	nolia
4 to 5 ft., B. & B			
5 to 6 ft., B. & B	4.25		
6 to 8 ft B. & B	6.00		



A block of young Junipers showing large scale production of quality evergreens. The spreading types are shown at the right, excelsa stricta is at the left. See pages 27, 28, 29, 30 and 31 for sizes and prices.



NURSERY GROWN OAKS

Our Oaks are straight stemmed with good heads and well defined leaders and have been transplanted several times so that the root systems are of the best. Varieties, sizes and prices are listed on pages 49 and 50.

.



Thuja pyramidalis—Princeton grown means quality at low cost. Look on pages 61, 62 and 63 for complete listing of Arborvitae.



ORIENTAL PLANES

We specialize in shade trees and have one of the largest stocks in America

Planes are priced on page 45

MAGNOLIA—continued		rice in Qu	
	1-4		25-249
— soulangeana, 15'-18'		aucer Ma	_
2 to 3 ft., B. & B		1.25	
3 to 4 ft., B. & B		2.50	
5 to 6 ft., B. & B.			
6 to 8 ft., B. & B.	6.00		
— — alba superba, 15'-18' La			
2 to 3 ft., B. & B		1.60	
3 to 4 ft., B. & B			
4 to 5 ft., B. & B			
5 to 6 ft., B. & B			
— alexandrina, 15'-18'		nder Ma	
2 to 3 ft., B. & B			
3 to 4 ft., B. & B 4 to 5 ft., B. & B.			
—— lenne:, 15'-18'		enne Ma	
2 to 3 ft., B. & B			
3 to 4 ft., B. & B			
4 to 5 ft., B. & B			
		aucer Ma	agnolia
2 to 3 ft., B. & B	2.70	2.25	
3 to 4 ft., B. & B	3.90	3.25	
4 to 5 ft., B. & B	5.25	4.25	
— stellata, 8'-10'		Star Ma	
18 to 24 in., B. & B		1.25 1.50	
2 to 2½ ft., B. & B		2.20	1.25 1.75
3 to 4 ft., B. & B.		3.00	
4 to 5 ft., B. & B	5.25		
5 to 6 ft., B. & B		6.25	
— tripetala, 30'-40'	Umb	rella Ma	gnolia
4 to 5 ft	1.35		.90
5 to 6 ft	2.00		
6 to 8 ft	2.60		1.75
8 to 10 ft			
MAHONIA aquifolium, 4'-5'		on Holl	
12 to 15 in., B. & B	.70	.55	
15 to 18 in., B. & B	.90 1.10	.75 .95	
18 to 24 in., B. & B			
MALUS arnoldiana, 8'-10'			d Crab
5 to 6 ft.,	.90	.75	
6 to 8 ft	1.25	1.00	
8 to 10 ft	2.00	1.75	
— atrosanguinea, 10'-15'		Carmin	e Crab
4 to 5 ft	.90	.70	
5 to 6 ft.,	1.25 2.00	1.00 1.75	
6 to 8 ft 8 to 10 ft	3.00	2.50	
- baccata, 20'-25'		Siberia	n Crab
3 to 4 ft	.7Ó		
	.90		
5 to 6 ft	1.20	1.00	
6 to 8 ft	1.75	1.50	
8 to 10 ft	3.00	2.50	

MALUS—continued	Unit 1-4	Price in Qu 5-24	
— — mandshurica			
	.70		
4 to 5 ft		.75	
5 to 6 ft	1.50		
— coronaria, 15'-20'		Wild Swe	
2 to 3 ft			.50
3 to 4 ft			.75
— floribunda, 10'-15' Japa			g Crab
5 to 6 ft		1.00	
6 to 8 ft 8 to 10 ft			
	3.00		
— purpurea, 10'-15'		_	le Crab
5 to 6 ft	1.20	1.00	
	1.80		
8 to 10 ft	2.20	1.80 2.75	
	3.30	•	
— halliana parkmani, 10'-15'	05	Parkma	ın Crab
2 to 3 ft	.85	.65 .85	
4 to 5 ft	1.20		
	1.90	1.50	
6 to 8 ft		2.25	
— hoppi, 12 ′- 15 ′ Hopa	Red	Flowerin	g Crab
3 to 4 ft			
5 to 6 ft			
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.50	
10 to 12 ft	3.00	2.50	
— ioensis plena, 10'-15'			el Crab
2 to 3 ft	.60	.50	
3 to 4 ft	.95 1.25	.75 1.00	
4 to 5 ft	1.70	1.35	
6 to 8 ft	2.10	1.75	
	2.10	1110	
— micromalus, 15'	1.65		
8 to 10 ft	2.50		
10 to 12 ft	3.25		
	00	Redve	in Crab
— niedzwetzkyana, 15'-25'	70	.50	III OTAB
3 to 4 ft	.70 1.70	1.45	
6 to 8 ft 8 to 10 ft	2.70	2.25	
- Oekonomierat Echtermeyer, 1		,	
3 to 4 ft	.75 1.00		
4 to 5 ft	1.50		
5 to 6 ft	2.00		
	2.00	377	o or Core la
— pumila pendula, 10'-15'		weepii	ng Crab
2 to 3 ft. stem, 2 yr. head	.75		
3 to 4 ft. stem, 3 yr. head	1.00 1.35		
4 to 5 ft stem, 4 yr. head	1.55		
ૐ			

MALUS—continued		rice in Qua 5-24	
— sargenti, 6'-8'		Sargen	t Crab
2 to 3 ft	.60		
3 to 4 ft	.90	.75	
4 to 5 ft		1.00	
— scheideckeri, 10'-15'		heidecke	r Crab
3 to 4 ft		.55	
4 to 5 ft	.90 1 25	1.00	
6 to 8 ft			
spectabilis, 15'-20' Ch			
4 to 5 ft	.90	1.00	
— theifera, 15'-20'	1.23		a Crab
3 to 4 ft	90		<u> </u>
4 to 5 ft			
		Partridge	
2 in. pots		.12	
MORUS alba, 35'-50'		Vhite Mu	
6 to 8 ft		.60	
8 to 10 ft		.95 1.25	
		eping Mu	ılberry
2 year heads	1.25 2.00	1.00	
3 year heads		1.50	1
MYRICA, carolinensis, 4'-5'		thern Ba	
15 to 18 in	.45 .60	.37 .50	.30
2 to 2½ ft	.75	.60	.50
NANDINA domestica, 4'-6'		N	andina
9 to 12 in., 4 in. pots	.30		
12 to 15 in., 5 in. pots	.40 .50		
2 to 3 ft., B. & B	1.50		
*NYSSA sylvatica, 40'-60'		80	unanm
2 to 3 ft	.75	SU	urgum
3 to 4 ft	1.00		
4 to 5 ft	1.25		
5 to 6 ft	1.50		
OSMANTHUS aquifolium, 3'-4'	Н	olly Osm	anthus
9 to 12 in., own roots. 3 in. pots	.60	.50	
15 to 18 in., own roots, 6 in. pots	.90		
OSTRYA virginiana, 25'-30'		Hophor	nbeam
6 to 8 ft	1.30		
8 to 10 ft	1.65		
10 to 12 ft	1.90		

	Unit F	Price in Qua 5-24	
*OXYDENDRUM arboreum, 25'-3			
2 to 3 ft			rwood
3 to 4 ft	.60 .95	.50 .75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.90	1.50	
6 to 7 ft	2.25		
7 to 8 ft	3.00		
PACHYSANDRA terminalis, 6"-8"			Spurge
2 in. pot grown	.10	.08	.06
PHELLODENDRON chinense, 25	5' -3 0'		
	Ch	inese Co	rktree
	2.50	2.00	
10 to 12 ft	3.00	2.50	
PHILADELPHUS avalanche, 4'-5'	Dwa	arf Mocko	orange
18 to 24 in	.22	.20	.14
2 to 3 ft	.27	.22	.18
3 to 4 ft	.37	.30	.24
- Bouquet blanc, 4'-5' White	Bouqu	iet Mocko	orange
18 to 24 in	.18	.15	.12
2 to 3 ft	.27	.22	.16
3 to 4 ft	.33	.27	.22
— coronarius, 9'-10'		eet Mocko	orange
2 to 3 ft		.15	
3 to 4 ft		.22 .25	
—— aureus, 4'-5' Go			
12 to 15 in	.22		.15 .20
15 to 18 in	.37		
2 to 2½ ft		.37	
2½ to 3 ft	.52	.45	.35
— grandiflorus, 7'-8' Big S	centle	ess Mocko	
2 to 3 ft	.18	.15	.12
3 to 4 ft	.27	.22 .25	
5 to 6 ft			
6 to 7 ft		.45	.35
— lemoine, 7'-8'	Lemo	ine Mock	orange
18 to 24 in	.22	.20	.14
2 to 3 ft	.27	.22	.18
3 to 4 ft	.37	.30	.25
— pubescens, 7'-8'	Hoa	ary Mock	orange
2 to 3 ft	.22	.20	15
3 to 4 ft		.25	
4 to 5 ft	.3/	.30	.25
— purpurascens, 7'-8' P	urpled	eup Mocke	orange
2 to 3 ft.	.22	.20	.15
3 to 4 ft	.30	.25	.20
4 to 5 ft	.37	.30	.25

PHILADELPHUS—continued	Unit Pr 1-4	ice in Qua 5-24	
— virginalis, 7'-8'	Virgina	l Mocko	range
18 to 24 in		.22	_
2 to 3 ft		.30	
3 to 4 ft		.45	
4 to 5 ft			
PHOTINIA subumbellata, 10'		Ph	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft			1.25
PHYSOCARPUS opulifolius, 9'-1			ebark .12
2 to 3 ft		.15 .20	
4 to 5 ft		.25	
5 to 6 ft		.30	
6 to 7 ft		.45	.35
— — aureus, 9'-10'		leaf Nir	
2 to 3 ft			
3 to 4 ft			
5 to 6 ft			
		White S	
PICEA canadensis (alba), 50'-6			
18 to 24 in., B. & B	/5		.50
2 to 3 ft., B. & B		1.50	1 25
3 to 4 ft., B. & B		1.70	1.25
4 to 5 ft., B. & B		2.25	
5 to 6 ft., B. & B		3.25	
·		0.20	
— canadensis glauca conica, 4'-		Alborto (Innu oo
		Alberta S	Spruce
12 to 15 in., B. & B		1.00	
15 to 18 in., B. & B			
18 to 24 in., B. & B			~
— engelmanni, 75'-100'	_	elmann s	
18 to 24 in., B. & B		.90	.75
2 to 3 ft., B. & B		1.50	1.25
3 to 4 ft., B. & B			
4 to 5 ft., B. & B			
5 to 6 ft., B. & B			
6 to 7 ft., B. & B	. 5.75		
— excelsa, 80'-100'		Norway :	
15 to 18 in., B. & B		.37	.30
18 to 24 in., B. & B		.50	.40 .60
2 to 3 ft. B. & B		.75	.75
3 to 4 ft B. & B		.95 1.50	1.25
4 to 5 ft., B. & B		2.20	1.75
5 to 6 ft., B. & B		3.75	3.00
6 to 7 ft., B. & B 8 to 10 ft., B. & B		5.00	4.00
0 to 10 ft., D. & D	. 0.00	3. 00	1,00

×

WE SPECIALIZE IN GROWING SHADE TREES.
TURN TO PAGE 64 FOR COMPLETE
LIST ON LINDENS

PICEA—continued	Unit 1-4	Price in Qu 5-24	
— pyramidalis, 35'-50' Pyra:	midal	Norway	Spruce
2 to 2½ ft., B. & B	2.25		
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B			
4 to 5 ft B. & B			
- koyamai, 40'-50'	I	Koyamai	Spruce
12 to 15 in., B. & B		1.00	
15 to 18 in., B. & B			
18 to 24 in., B. & B			
2 to 2½ ft., B. & B.		2.00	
2½ to 3 ft., B. & B		2.50	
— orientalis, 75'-100'		Oriental	Spruce
15 to 18 in., B. & B	1.50		1.00
18 to 24 in., B. & B			
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B	3.90	3.25	
4 to 5 ft., B. & B	5.00	4.00	
— polita, 60'-75'	${f T}$	iger-tail	Spruce
12 to 15 in., B. & B	.75		
15 to 18 in., B. & B	1.00		
18 to 24 in., B. & B			
— pungens, 60'-80'	C	Colorado	Spruce
12 to 15 in., B. & B	.45	.37	.30
15 to 18 in., B. & B	.60	.50	.40
18 to 24 in., B. & B		.55	.45
2 to 2½ ft., B. & B		.75	.60
2½ to 3 ft., B. & B	1.20		.80
3 to 4 ft., B. & B			
4 to 5 ft B. & B			
5 to 6 ft., B. & B 6 to 8 ft., B. & B	3.40		
— pungens glauca, 60'-80'			
15 to 18 in., B. & B		.75	.60
18 to 24 in., B. & B			.85
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B			
4 to 5 ft., B. & B		4.40	3.50
5 to 6 ft., B. & B	6.75		
6 to 8 ft., B. & B	8.50	7.00	5.50
— kosteri, 60'-80'	Kos	ster Blue	Spruce
12 to 15 in., B. & B	1.35	1.10	.90
15 to 18 in., B. & B			
18 to 24 in., B. & B			
2 to 2½ ft., B. & B		2.80	
2½ to 3 ft., B. & B	4.50 5.60		
3 to 4 ft., B. & B			
5 to 6 ft., B. & B		8.00	
6 to 7 ft., B. & B			
7 to 8 ft., B. & B			
—— specki, 60'-80'			
15 to 18 in., B. & B	2.00		
18 to 24 in., B. & B			
2 to 2½ ft., B. & B			
7,5 -11, 15, 15, 15, 15, 15, 15, 15, 15, 15,			

	Unit P	rice in Quant 5-24 2	
PIERIS floribunda, 4'	Mounta	ain Androi	meda
12 to 15 in., B. & B			
15 to 18 in., B. & B	1.90		
18 to 24 in., B. & B	2.50		
— japonica, 5'-6'	Japan	ese Andro	meda
12 to 15 in., B. & B	1.00	.80	.65
15 to 18 in., B. & B	1.20	1.00	.80
18 to 24 in., B. & B		1.50	
2 to 2½ ft., B. & B	2.25		
PINUS banksiana, 60'-70'			Pine
12 to 14 ft., B. & B			
— bungeana, 40'-50'		Lacebark	
6 to 9 in., 3 in. pots			
9 to 12 in., 3 in. pots			
— densiflora, 60'-80'	_	anese Red	Pine
2 to 3 ft., B. & B			
3 to 4 ft., B. & B 4 to 5 ft., B. & B			
5 to 6 ft., B. & B	2.90		
6 to 7 ft., B. & B.			
— — umbraculifera (tanyosho)			
	apanese	e Umbrella	Pine
12 to 15 in., B. & B	75	.60	
15 to 18 in., B. & B			
18 to 24 in., B. & B			
2 to 2½ ft., B. & B		1.50	
2½ to 3 ft., B. & B			
excelsa, 30'-60'		2., 3 Himalayan	Pine
18 to 24 in., B. & B	90	.75	.60
2 to 3 ft., B. & B		1.25	1.00
3 to 4 ft., B. & B		2.00	1.60
4 to 5 ft., B. & B		2.85 4.05	2.40 3.25
5 to 6 ft., B. & B			4.00
,	0.00	Limbe	
— flexilis, 30'-40'	5.50		
5 to 6 ft., B. & B		5.50	
7 to 8 ft., B. & B		7.50	
— montana, 10'		s Mountair	n Pine
15 to 18 in., B. & B		.60 .90	
2 to 2½ ft., B. & B		1.35	
2½ to 3 ft., B. & B		2.00	
3 to 3½ ft., B. & B	3.25		
3½ to 4 ft., B. & B	4.25		
— montana mughus, 3'-4'		Mugh	
12 to 15 in., B. & B		.95	.75
15 to 18 in., B. & B		1.25 1.50	1.00 1.25
18 to 24 in., B. & B		1.75	1.23
2½ to 3 ft., B. & B		2.40	
3 to 3½ ft., B. & B		3.25	
3½ to 4 ft., B. & B		4.40	

	Unit	Price in Qua	ntities
PINUS—continued	1-4	5-24	25-249
— nigra, 60'-70'		Austria	
18 to 24 in., B. & B	75	.60	
2 to 3 ft., B. & B		.95	.50
3 to 4 ft D & D	1.10	1.50	.75 1.25
3 to 4 ft., B. & B	2.00		
4 to 5 ft., B. & B	3.00	2.50	2.00
5 to 6 ft., B. & B	4.10		
6 to 7 ft., B. & B	5.25		3.59
7 to 8 ft., B. & B	0./5	5.50	
8 to 10 ft., B. & B			
— ponderosa, 100'-150'	West	ern Yellov	v Pine
4 to 5 ft., B. & B	2.50		
5 to 6 ft., B. & B			
6 to 7 ft., B. & B			
- resinosa, 60'-70'	0.,0	Roy	d Pine
	7-		
18 to 24 in., B. & B		.60	.50
2 to 3 ft., B. & B		.95	.75
3 to 4 ft., B. & B		1.50	1.25
4 to 5 ft., B. & B		2.50	2.00
5 to 6 ft., B. & B		3.50	2.75
6 to 7 ft., B. & B	5.25	4.40	3.50
7 to 8 ft., B. & B	6.75	5.50	4.50
— strobus, 80'-100'		White	e Pine
18 to 24 in., B. & B	05	.75	.60
2 to 3 ft B. & B		1.25	1.00
		2.00	1.60
3 to 4 ft., B. & B			
4 to 5 ft., B. & B		2.65	2.25
5 to 6 ft., B. & B		3.50	2.75
6 to 7 ft., B. & B		5.00	
7 to 8 ft., B. & B		7.00	6.00
8 to 10 ft., B. & B			7.00
10 to 12 ft., B. & B	12.00	10.00	8.00
sylvestris, 25'-30'		Scotcl	n Pine
2 to 3 ft., B. & B	1.20	1.00	.80
3 to 4 ft., B. & B		1.25	1.00
4 to 5 ft., B. & B		2.00	1.60
5 to 6 ft., B. & B			
6 to 7 ft., B. & B.			3.50
7 to 8 ft., B. & B			4.50
		7.50	
8 to 10 ft., B. & B			
— thunbergi, 80'-100'	Japa	nese Black	k Pine
18 to 24 in	.95	.75	
2 to 3 ft			
3 to 4 ft	1.75	1.50	
4 to 5 ft			
PLATANUS occidentalis, 75'-100'			
· · · · · · · · · · · · · · · · · · ·		mina - C-	0 ma 0 m =
American Planetree or		rican Syc	amore
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in			
10 to 12 ft., 1½ to 1¾ in	2.00		
— orientalis, 70'-80'	Eur	opean Plai	netree
6 to 8 ft		1.05	.85
8 to 10 ft			1.00
8 to 10 ft., 1½ to 1½ in			1.25
			1.75
10 to 12 ft., 1½ to 1¾ in			
10 to 12 ft., 13/4 to 2 in			3.00
12 to 14 ft., 2 to 2½ in			
12 to 14 ft., 2½ to 2½ in	6.00	5.00	
13 to 15 ft., 2½ to 3 in		6.00	5.00
16 to 18 t., 3 to 4 in			
18 to 20 ft., 4 to 5 in	15.00		

	Unit F	rice in Qu 5-24	antities 25-249
POLYGONUM auberti, 25'	C	hina Fle	e cevine
2 year, medium	.27		
2 year, strong		.30	.25
POPULUS bolleana, 50'-60'		Bolleana	_
6 to 8 ft	1.50 1.75	1.25	1.00
10 to 12 ft., 1½ to 1¾ in	2.00		
10 to 12 ft., 13/4 to 2 in	2.35	2.25	
12 to 14 ft., 2 to 2½ in	2.75 3.50	2.25	
— eugenei, 60'-80'		Carolina	Poplar
6 to 8 ft	.45		.30
8 to 10 ft	.60		
10 to 12 ft	.85		.55
— maximowiczii, 60'-80' 6 to 8 ft		apanese .75	_
8 to 10 ft	1.10		
10 to 12 ft	1.50	1.25	1.00
— nigra italica, 60'-80'	Lo	mbardy	Poplar
4 to 6 ft	.37	.30	.25
6 to 8 ft 8 to 10 ft	.52 .75	.45 .60	.35
10 to 12 ft., 1¼ to 1½ in			
10 to 12 ft., 1½ to 1¾ in	1.50		
12 to 14 ft., 13/4 to 2 in	2.00		Danlan
— simoni, 50'-60' 6 to 8 ft	60		Poplar .40
8 to 10 ft	.75		_
POTENTILLA fruticosa, 3'-4'	Shri	abby Cin	quefoil
12 to 18 in	.18	.15	.12
18 to 24 in		.20	
2 to 3 ft			.20
PRUNUS americana, 10'-12' 2 to 3 ft		Ameri c a .20	.15
3 to 4 ft			.20
4 to 5 ft			.25
5 to 6 ft			.35
— besseyi, 10'-12' 18 to 24 in		Bessy .30	
2 to 3 ft			.30
— cerasifera Othello, 12'-15'	P	urplelea	f Plum
6 to 8 ft			
8 to 10 ft.			
— cistena, 12'-15'	_	le Sand	
2 to 3 ft			
— glandulosa, 5'-6' Pink & Whi			Almond .25
18 to 24 in			.35
2 to 3 ft	.70		.45
— maritima, 9'-10'			h Plum
18 to 24 in			.25
2 to 3 ft	.52 .70	.45 .55	.35
0 to 1 It	.,,	,33	

PRUNUS—continued	Unit 1-4	Price in Qu 5-24	antities 25-249
— padus, 30'-40'	Europ	ean Bird	Cherry
3 to 4 ft		.45	.35
5 to 6 ft		.50	.55
6 to 8 ft		.55	
8 to 10 ft		.55	
10 to 12 ft			
	. 1.20	70.1	C)
— pennsylvanica, 25'-30'	7.		Cherry
4 to 6 ft	75	.60	.50
— serrulata, 40'-60'		Oriental	Cherry
8 to 10 ft	. 2.50		
10 to 12 ft., 2 to 2½ in	. 3.20	2.70	
12 to 14 ft., 2½ to 2½ in		3.25	
12 to 14 ft., 2½ to 3 in	6.00	5.00	
- sachalinensis (sargenti) 40'-5	0'	Yama	Cherry
			•
18 to 24 in		.30	.25
2 to 3 ft		.45	.35
		.60	.50
— subhirtella pendula, 12'-15'	Veepin	ig Japan	Cherry
5 to 6 ft. stems, 1 yr. heads	2.00	1.50	
5 to 6 ft. stems, 2 yr. heads		2.00	
5 to 6 ft. stems, 3 yr. heads			
4 to 6 ft. stems, 5 yr. heads,			
2 to 2½ in	5.00		
2½ to 3 in	7.00		
3 to 3½ in	9.00		
———— flore plena, 12'-15'			
Double Flow	ລະຄຳຕ	Waaning	Cherry
			Onciry
5 to 6 ft. stems, 2 yr. heads	. 2.75	2.25	
— tomentosa, 6'-7'		Nanking	Cherry
2 to 3 ft	37	.30	.25
3 to 4 ft		.45	.35
4 to 5 ft	70	.55	.45
5 to 6 ft		.75	.60
6 to 8 ft	. 1.10	.95	.75
— triloba plena, 7'-8'	Double	eflowerin	g Plum
		.45	.35
2 to 3 ft		.55	
3 to 4 it	/0	.55	٠٦٦
JAPANESE CHE	RRIES	3	
Amanogawa (Lann. Amanoga			
3 to 4 ft		1.00	1.00
4 to 5 ft		1.25 1.50	1.00 1.25
5 to 6 ft	. 2.00	1.50	1
Amayadori, 25'-35'			
6 to 8 ft., 1½ to 1½ in	3.00		
8 to 10 ft., 1½ to 1¾ in			
Ichiyo (Serr. Hisakura), 25'-			
		(0	50
3 to 4 ft		.60	.50
4 to 5 ft		.95 1.25	.75 1.00
5 to 6 ft		1.25	1.00
10 to 12 ft., 1½ to 2 in			
12 to 14 m., 2 to 2/4 m	. 0.30		
•	CCHI	RRHES	R & B
EXTRA CHARGE FOR DIGGING	UHL	ACE	ь, ж в.

SEE B. & B. SCHEDULE, PAGE 1.

	I I i A	Duine in Ouer	. Litian
PRUNUS—continued	1-4	Price in Quar 5-24	25-249
J. H. Veitch (Serr. Fugenzo)		_	23-277
3 to 4 ft		.65	
4 to 5 ft		.80	
5 to 6 ft	1.50	1.25	
6 to 8 ft, 1½ to 1¾ in	2.80	2.25	
8 to 10 ft., 13/4 to 2 in		3.00	
Kanzan (Serr. Sekiyama) Kw		40 ′	
3 to 4 ft	.80	.65	
4 to 5 ft	1.00 1.25	.80 1.00	
6 to 8 ft., 13/4 to 2 in		2.25	
8 to 10 ft., 2 to 2½ in	3.75	3.00	
10 to 12 ft., 2½ to 2½ in	5.00		
Naden, 30'-40'	Semi-d	ouble pale	pink
3 to 4 ft		.75	.60
4 to 5 ft			.75 1.00
5 to 6 ft	2.25		1.50
Ojochin (Lann. Ojochin), 25'		1.00	2.00
5 to 6 ft., 1½ to ½ in	1.90		
6 to 8 ft., 1½ to 1¾ in	3.00		
8 to 10 ft., 13/4 to 2 in	4.00		
Paul Wohlert, 25'-30'			
6 to 8 ft., 1½ to 2 in			
8 to 10 ft., 2 to 2 ¹ / ₄ in	4.00		
Serrulata Sekizan, 25'-30'		Double	
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10 1.50	.95 1.25	.75 1.00
6 to 8 ft	1.90	1.50	1.25
Shirofugen (Serr. Alba-Rosea)	, 25 ′-3	0'	
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50 1.90	1.25 1.50	1.09
8 to 10 ft., 1½ to 1¾ in		3.00	
10 to 12 ft., 13/4 to 2 in	5.00		
Watereri (Lann. Wateriri), 30	0'		
8 to 10 ft., 2 to 2 ¹ / ₄ in	4.00		
10 to 12 ft., 2½ to 3 in	5.00		
yedoensis (Yoshino cherry), §		0.5	
3 to 4 ft	1.10 1.50	.95 1.25	.75 1.00
6 to 8 ft	3.00	1.23	1.00
8 to 10 ft., 2½ to 2½ in	4.00		
10 to 12 ft., 2½ to 3 in			
12 to 14 ft., 3 to 3½ in	7.50		
PSEUDOTSUGA douglasi, 70'-80'		Dougl	
18 to 24 in., B. & B	.60	.50	.40 .60
2 to 2½ ft., B. & B	.95 1.00	.75 .80	.65
3 to 4 ft., B. & B	1.25	1.00	.80
4 to 5 ft., B. & B	1.60	1.35	1.10
5 to 6 ft., B. & B	2.00	1.75 3.50	1.50 2.75
6 to 8 ft., B. & B 8 to 10 ft., B. & B	7.50	6.00	5.00
Extra broad specimen50%	extra.		

		in Quanti 5-24	
PTELIA trifoliata, 20'-25'	Con	nmon Ho	ptree
3 to 4 ft		.37	_
4 to 5 ft		.50	
5 to 6 ft	.75	.60	.50
PYRACANTHA coccinea lalandi	. 9'-12'		
		nda Fire	thorn
12 to 18 in., 4 in. pots		.60	
18 to 24 in., 6 in. pots		1.25	1.00
2 to 3 ft., 7 in. pots	2.25	1.90	1.50
3 to 4 ft., 8 in. pots	3.00	2.50	2.00
NURSERY GROWN	N OAKS		
QUERCUS alba, 100'			e Oak
6 to 8 ft	. 1.90	1.50	
8 to 10 ft	. 3.00	2.50	2.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	4.10	3.50	
9 to 11 ft., 1½ to 1¾ in		4.40 5.50	
11 to 13 ft., 2 to 2½ in	9.00	7.50	
12 to 14 ft., 2½ to 2½ in		9.00	
— coccinea, 75'-90'		Scarle	et Oak
6 to 8 in	2.25		1.50
8 to 10 ft	2.40	2.80	2.25
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in		3.50	2.75
10 to 12 ft., 1½ to 1¾ in		4.40 5.30	3.50 4.25
12 to 14 ft., 2 to 2½ in		7.00	5.50
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	. 11.00	9.50	7.50
14 ft., 2½ to 3 in	. 12.00	10.00	
— macrocarpa, 75'-80'		Mossycu	ıp Oak
6 to 8 ft		1.90	1.50
8 to 10 ft	3.00	2.50	2.00
8 to 10 ft., 1½ to 1½ in	3.75 4.50	3.00 3.75	2.50 3.00
10 to 12 ft., 1/2 to 1/4 m		5.00	4.90
12 to 14 ft., 2 to $2\frac{1}{4}$ in	7.50		
12 to 14 ft., 2½ to 2½ in	9.00	7.50	
— palustris, 75'-90'		P	in Oak
6 to 8 ft		.95	.75
8 to 10 ft 8 to 10 ft., 1½ to 1½ in		1.25 1.50	1.00 1.25
10 to 12 ft., 1½ to 1¾ in		1.90	1.50
10 to 12 ft., 13/4 to 2 in		2.80	2.25
12 to 14 ft., 2 to 2½ in		4.40	3.50
12 to 14 ft., 2½ to 3 in		5.50 7.50	
14 to 16 ft., 3 to 3½ in			
— phellos, 50'-60'		Willo	w Oak
8 to 10 ft			
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in			
10 to 12 ft., 1½ to 1¾ in			
10 to 12 ft., 13/4 to 2 in			

NURSERY GROWN OAKS —continued	Unit Pri 1-4	ce in Quan 5-24 2	itities 25-249
— robur fastigiata, 35'-50' P	yramidal	English	Oak
4 to 5 ft., B. & B			
5 to 6 ft., B. & B	. 5.25		
6 to 8 ft., B. & B 8 to 10 ft., B. & B		7.50	
— rubra, 75'-90'	Com	mon Red	l Oak
6 to 8 ft	. 1.90	1.50	1.25
8 to 10 ft	2.50	2.05	1.65
8 to 10 ft., 1½ to 1½ in		2.50 3.00	2.00
10 to 12 ft., 1/2 to 1/4 m		4.00	3.25
12 to 14 ft., 2 to 2½ in	6.00	5.00	4.00
12 to 14 ft., $2\frac{1}{2}$ to 3 in			5.50
14 to 16 ft., 3 to $3\frac{1}{2}$ in	10.00	8.00	
— velutina, 75'-90'		Black	Oak
6 to 8 ft		1.75	
8 to 10 ft 8 to 10 ft., 1½ to 1½ in		2.50 3.00	
1½ to 1¾ in		3.50	
RETINOSPORA (See CHAMAEC	YPARIS)	
RHAMNUS caroliniana, 30'	Carolin	a Buckt	horn
3 to 4 ft		.35	
4 to 5 ft		.50 .75	
6 to 8 ft		./3	
8 to 10 ft		-	
— cathartica, 9'-10'	Commo	n Buckt	horn
2 to 3 ft	.30	.25	.20
3 to 4 ft		.30 .37	.25
5 to 6 ft			
— frangula, 8'-9'	Gloss	y Buckt	horn
2 to 3 ft	.30	.25	
3 to 4 ft	.45 .60	.35 .50	
5 to 6 ft			
RHODODENDRON carolinanum,			
	rolina Rl	nododen	dron
12 to 15 in., B. & B			.75
15 to 18 in., B. & B	1.25	1.00	
18 to 24 in., B. & B	2.00		
2 to 2½ ft., B. & B			
— catawbiense, 6'-9' Cat			
15 to 18 in., B. & B	1.10	.95	1.25
2 to 2½ ft., B. & B	2.60	2.20	1.75
$2\frac{1}{2}$ to 3 ft., B. & B	3.75	3.00	2.50
3 to 3½ ft, B. & B	5.25	4.40	3.50

RHODODENDRON—continued	Unit 1-4	Price in Qua 5-24	ntities 25-249
— maximum, 8'-12'	osebay	Rhodode	endron
Nursery Grown. Raised from 15 to 18 in., B. & B	n seed. 1.00 1.50 2.25 3.00	.80 1.25 1.90	.65 1.00 1.50 2.00
— mucronulatum, 6'	Korean	Rhodode	ndron
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.50 2.00	1.25 1.75 2.25	
HYBRID RHODODENDRONS, 3"	-8'		
— Album elegans—Blush-pink.	12-15	in., 15-1	8 in.,
18-24 in., 2-2½ ft., 2½-	3 ft.		
— Catawbiense grandiflora—Ro	sy-pur	ple. 12-1	5 in.,
15-18 in., 18-24 in., 2-2½	ft., 21	∕₂-3 ft.	
— Everestianum—Rosy-lilac. 12	-15 in.	, 15-18 ir	n., 18-
24 in., 2-2½ ft.			
- President Lincoln—Pink. 12-	15 in.,	15-18 in	., 18-
24 in., 2-2½ ft., 2½-3 ft.			
- Roseum elegans-Rich pink.	12-15	in., 15-1	S in.,
18-24 in., 2-2½ ft., 2½-3			
12 to 15 in., B. & B	2.00 3.00 4.00 5.50	1.70 2.50 3.50 4.75	1.35 2.00 2.75 3.75
— Amphion—Rose-pink. 12-15 in	n., 15-1	8 in., 18-	24 in.
Candidissima—White. 18-24	in., 2-2	1/2 ft., 21/2	⁄ ₂ -3 ft.
— Caractacus—Red. 12-15 in.,	15-18	in., 18-2	4 in.,
$2-2\frac{1}{2}$ ft.			
— Dr. Dresselhuis—Bright red.	12-15	in., 15-1	8 in.,
18-24 in., 2-2½ ft., 2½-3			
- Ignatius Sargent—Deep pink.		in., 15-1	S in.,
18-24 in., 2-2½ ft.		,	
-Mrs. C. S. Sargent-Rich crim	ison. 1	2-15 in	15-18
in., 18-24 in., 2-2½ ft., 2½			
- Roseum superbum—Deep pink		5 in . 15-1	8 in
18-24 in., 2-2½ ft., 2½-3 f		, 111., 10 1	.0 1,
12 to 15 in., B. & B	1.50	1.25	
15 to 18 in., B. & B.	2.25	1.75	
18 to 24 in., B. & B	3.25	2.75 3.75	
2 to 2½ ft., B. & B	4.50 6.00	5.73	
	0.00	0.00	
- Boule de Neige—White. 12 to 15 in., B. & B	2.25	1.75	
15 to 18 in., B. & B	3.00	2.50	
18 to 24 in., B. & B	4.00	3.50	
RHODOTYPOS kerrioides, 4'-5'		White K	Cerria
18 to 24 in	.25	.20	.15
2 to 3 ft	.30	.25	.20 .25
3 to 4 ft	.40	.30	,23

	Unit F	rice in Qua	intities
RHUS—THE SUMACS	1-4	_	25-249
RHUS canadensis (aromatica), 4'-	5' F	'ragrant	Sumac
18 to 24 in	.37		
2 to 3 ft	.52		
3 to 4 ft	.70		
4 to 5 ft	.85	.70	.55
— copallina, 12'-13'		Shining	
15 to 18 in	.30		
18 to 24 in	.37	.30	
2 to 3 ft	.45		
3 to 4 ft	.70	.55	
* — cotinus, 10'-12'		non Smo	ketree
2 to 3 ft	.60		
3 to 4 ft	.75		
4 to 5 ft			
5 to 6 ft			
6 to 8 ft., special	2.70		~
— glabra, 10'-12' 2 to 3 ft	.22	Smooth .20	Sumac .15
3 to 4 ft	.30	.25	
4 to 5 ft	.45	.23	.30
5 to 6 ft	.60	.50	
6 to 8 ft	.75		
8 to 10 ft		.95	.75
— typhina, 15'-18'	S	Staghorn	Sumac
2 to 3 ft	.22	.20	.15
3 to 4 ft		.25	.20
4 to 5 ft			.25
5 to 6 ft		.45	.35
6 to 8 ft	.70	.55	.45
— typhina laciniata, 14'-15'	5	Shredded	Sumac
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
4 to 5 ft	.52		
5 to 6 ft	.70	.55	
ROBINIA hispida, 5'-6'		Rose	e-acacia
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45		.30
4 to 5 ft		.50	
5 to 6 ft	.75	.60	.50
— pseudoacacia, 60'-80'		Black	Locust
4 to 6 ft	.37	.30	
6 to 8 ft		.60	
8 to 10 ft	1.00	.90	
ROSA blanda, 4'-5'		Meado	w Rose
12 to 18 in	.22	20	.15
18 to 24 in			
2 to 3 ft			.30
— hugonis, 5'-6' G	olden	Rose of	China
18 to 24 in			.40
2 to 3 ft	.60	.50	.40

ROSA—continued	Unit I	Price in Quar 5-24	ntities 25-249
— lucida, 5'-6'		Virginia	Rose
12 to 15 in	.30 .37	.20 .25 .30 .37	.15 .20 .25
— multiflora, 9'-10'		Japanese	Rose
18 to 24 in	.18 .22	.12 .15 .20 .25	.10 .12 .15 .20
— nitida, 3'-4'		Bristly	Rose
12 to 18 in	.30	.25	.20
- palustris (carolina), 6'-8'	.37	.30 Swamp	
12 to 18 in	.25 .30 .45	.20 .25 .30	.15 .20 .25
— rubiginosa, 5'-6'		Sweet	tbrier
12 to 18 in	.22	.20	.15
18 to 24 in	.30 .37	.25 .30	.20 .25
3 to 4 ft	.45	.37	.30
— rubrifolia (ferruginea), 5'-6'		Redleaf	Rose
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	
— rugosa, 4'-5' 12 to 18 in		ed Rugosa .20	
18 to 24 in			.18
2 to 3 ft		.30	.25
— rugosa alba 4'-5'		te Rugosa	
18 to 24 in		.37 .45	
— setigera, 5'-6'	•••	Prairie	
18 to 24 in		.20	
2 to 3 ft	.30 .35	.25 .30	
- spinosissima, 4'	.55	Scotch	
12 to 15 in	.30	.25	
15 to 18 in	.45	.30	.25
— wichuraiana, white, 10'-12'		Vichurian	
1 year 2 year	.25 .30	.20 .25	.15
WICHURAIANA H	YBRID	S	
— Albertine, coppery yellow.			
- American Beauty, carmine.			
- Christine Wright, rose-pink.			
- Dr. Van Fleet, pale-pink.			
18 to 24 in			.18
2 to 3 ft 3 to 4 ft		.30 .37	.25 .30
RUBUS odoratus, 6'		ring Rasp	
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20

		Price in Q	
SALISBURIA adiantifolia (See G	INK	GO)	
SALIX babylonica ,50'-60 Babyl	lon 7	Veeping	Willow
4 to 6 ft			.60
8 to 10 ft			
— salamoni, 40'-50' Salam	on 7	Weeping	Willow
6 to 8 ft 8 to 10 ft	1.10	.95	.75
10 to 12 ft			
blanda, 40'-50' Wiscon	nsin '	Weeping	Willow
4 to 6 ft			.60 .75
6 to 8 ft	1.10	.95	./3
— caprea (bush form), 15'-20' Goat or Eur	opea	n Pussy	Willow
2 to 3 ft	.25	.20	.15
3 to 4 ft		.25 .45	.20
6 to 8 ft	.75		.50
— incana (rosmarinifolia), 8'-10'	R	osemary	Willow
2 to 3 ft	.30		.20 .25
4 to 5 ft			.30
5 to 6 ft	.60	.50	.40
— pentandra, 20'-30'	.90		.60 Willow
	.75		.50
6 to 8 ft	.90	.75	.60
8 to 10 ft			.75
— vitellina aurea, 30'-40' Ru 4 to 6 ft			.50
6 to 8 ft	.90	.75	.60
8 to 10 ft			
— britzensis, 30'-40' B 4 to 5 ft			
5 to 6 ft			.60
— — nova, 30'-40'			40
4 to 6 ft			.60 .75
— pendula, 25'-30' Wee			
4 to 6 ft			
6 to 8 ft 8 to 10 ft		1.25	
SAMBUCUS canadensis, 8'-9'		America	n Elder
18 to 24 in		.15	.12
3 to 4 ft	.22	.25	.20
4 to 5 ft			.25
——————————————————————————————————————		America:	
3 to 4 ft	.30	.25	.20
4 to 5 ft	.37	.30	.25

	Unit	Price in Qua	ntities
SAMBUCUS—continued	1-4	5-24	25-249
— — aurea, 8'-9'		Golden	Elder
18 to 24 in	.33		.22
2 to 3 ft	.37	.30	
3 to 4 ft	.55	.47	.37
SCIADOPITYS verticillata, 50'-75'	,	Umbrell	a Pine
12 to 15 in., B. & B	1.90		
15 to 18 in., B. & B	2.50	2.00 3.00	
18 to 24 in., B. & B SOPHORA japonica, 30'-40'		s.00 nese Schol	artroo
2 to 3 ft	.75	.60	.50
3 to 4 ft	.73	.75	.60
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.25		1.50
6 to 7 ft	3.00	2.50	
7 to 8 ft	3.75	3.00	
SORBARIA aitchisoni, 4'-5'	Kashr	nir False-	spirea
2 to 3 ft		.25	.20
3 to 4 ft		.30	
4 to 5 ft		.37	
— sorbifolia, 4'-5'		ral False-	spirea
18 to 24 in	.30	.20 .25	
		0	
* '	_	n Mounta	
4 to 6 ft		.95	.75
6 to 8 ft	3.50		
SPIREA alba, 6'-7'	0.00		Sniros
2 to 3 ft	.25	Meadow .20	
3 to 4 ft		.25	
— albiflora (callosa alba), 3'		Japanese	Spirea
15 to 18 in	.18	.15 .20	.12
18 to 24 in	,22	.20	.15
2 to 2½ ft	.30	.25	
— billiardi, 5'-6'	1.0	Billiard	
2 to 3 ft		.15 .20	
4 to 5 ft		.22	
5 to 6 ft		.25	
— bumalda, 3']	Bumalda	Spirea
15 to 18 in		.15	
18 to 24 in		.20 .25	
Anthony Waterer, 3' Antl			
12 to 15 in		.12	
15 to 18 in		.15	
18 to 24 in	.22	.20	.15
2 to 2½ ft	.33	.27	.22
— latifolia (salicifolia), 4'-5'	Pink	Meadow	Spirea
18 to 24 in	.12	.10	.08
2 to 3 ft	.18	.15 .20	.12
4 to 5 ft	.30	.25	
	.00		

	Unit Pr	rice in Qua	ntities
SPIREA—continued	1-4	5-24	25-249
— margaritae, 5'-6'		rgarita	_
18 to 24 in	.22		.15
— nipponica rotundifolia, 6'-7'		Nippon	
3 to 4 ft	.45		
4 to 5 ft	.52		
— opulifolia (See PHYSOCARPUS	s opuli	folia)	
— prunifolia plena 7'-8'	a b	Bridaly	
2 to 3 ft	.37 .45		.25
4 to 5 ft	.55	.47	.37
5 to 6 ft	.70	.55	.45
— reevesiana, 7'-8' 18 to 24 in	.18	Reeves .15	Spirea .12
2 to 3 ft	.27	.22	.16
3 to 4 ft	.30 .37	.25 .30	
—— Fl. Pl. (Lanceata) 7'-8'	ouble .22		Spirea .15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
- sorbifolia (See SORBARIA sor	bifolia	ı)	
— thunbergi, 4'-5'		unberg	_
18 to 24 in 2 to 3 ft	.30	.20 .25	.15
3 to 4 ft	.37	.30	.25
— tomentosa, 3'-4'		Hai	dhack
18 to 24 in	.18	.15	
2 to 3 ft	.22	.20 .25	.16
— trichocarpa, 5'-6' 18 to 24 in	.22	Korean .20	
2 to 3 ft	.30	.25	
— vanhouttei, 8'-9'	Vai	nhoutte	Spirea
18 to 24 in	.12	.10	.08
2 to 3 ft 3 to 4 ft	.18 .22	.15 .20	.12
4 to 5 ft	.30	.25	.20
5 to 6 ft	.40	.30	.25
STAPHYLEA colchica, 10'-12'		his Blad	dernut
18 to 24 in	.50 .60		
STEPHANANDRA flexuosa, 5'-6'	lutleaf	Stenhai	nandra
18 to 24 in	.18	_	.12
2 to 3 ft	.22		
3 to 4 ft	.30 .37	.25 .30	.20
	Yeddo	Stephai	nandra
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
J 10 4 II	.45	.37	.30


	Unit F	Price in Qua 5-24	intities 25-249
STYRAX japonica, 12'-15'	Jap	anese Sn	owbell
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	
6 to 8 ft	2.10		
8 to 10 ft	3.00	2.50	
SYMPHORICARPOS chenaulti, 6		ault Snov	whommy
10 / 24 :			•
18 to 24 in		.15 .20	.12
3 to 4 ft			
J to 4 It	.50	.43	.20
— mollis, 4'-5'	Spread	ding Snov	wberry
18 to 24 in	.18	.15	.12
2 to 3 ft	.22	.20	.15
W1 01		~	,
— racemosus, 5'-6'			wberry
18 to 24 in		.15	
2 to 3 ft		.20	
3 to 4 ft	.30	.25	.20
— vulgaris, 4'-5'		Cora	lberry
18 to 24 in	.18	.15	
2 to 3 ft	.18	.20	
3 to 4 ft	.30	.25	.20
SYMPLOCUS paniculata, 20'-25'			
18 to 24 in			
2 to 3 ft			
	••	.00	
SYRINGA chinensis (rothomage	nsis),	8'-9'	
2 to 3 ft	.37	.30	
3 to 4 ft			
4 to 5 ft	.60	.50	
— chinensis saugeana, 8'-9'			
2 to 3 ft		.30 .37	
4 to 5 ft		.50	
5 to 6 ft			
— japonica, 18'-20'		nese Tree	
2 to 3 ft			
3 to 4 ft		.37	
4 to 5 ft		.50	
5 to 6 ft		.60	
6 to 8 ft			
8 to 10 ft	1.50	1.25	1.00
— josikaea, 9'-10'		[ungariar	
3 to 4 ft	.45	.37	.30
4 to 5 ft		.50	.40
5 to 6 ft	.75		
— villosa, 7'-8'		Late	
2 to 3 ft		.20	.15
3 to 4 ft			.20
4 to 5 ft	.45	.37	.30
5 to 6 ft	.60	.50	.40

	Unit Price in Quantities		
SYRINGA—continued	1-4	5-24	25-249
— vulgaris, 12'-15'	Common	Purple	Lilac
18 to 24 in	15	.12	.10
2 to 3 ft	18	.15	.12
3 to 4 ft	25	.20	.15
4 to 5 ft	30	.25	.20
5 to 6 ft		.35	.25
6 to 7 ft		.45	.35
— — alba, 12'-15'	Common	White	Lilac
2 to 3 ft	.30	.25	.20
3 to 4 ft		.30	.25
4 to 5 ft	.45	.37	.30
5 to 6 ft		.50	.40

FRENCH LILACS—NAMED VARIETIES ALL ON OWN ROOTS

- Alphonse Lavalle, light purple, double.
- Charles Joly, red-mauve, semi-double.
- Charles The Tenth, reddish-purple, single.
- Hugo Koster, pale lilac, single.
- Ludwig Spaeth, reddish-purple, single.
- Marie LeGraye, white, single.
- Michel Buchner, lilac, double.
- Mme. Casimir Perier, white, double.
- Mons. John de Messmaker, light violet-red, single.
- Pres. Grevy, blue, double.
- President Poincare, violet, double.
- Reaumur, reddish-purple, single.
- Rubra de Marly, light blue, single.
- Vestale, white, single.
- Wm. Robinson, violet-pink, double.

18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
3 to 4 ft	.80	.65	.55
4 to 5 ft	1.00	.90	.70
5 to 6 ft	1.35	1.10	.90



Our Greenhouses are well equipped and manned with an efficient staff for propagating.

SYRINGA—continued

Unit Price in Quantities 1-4 5-24 25-249

- Adelaide Dunbar, red-mauve, double.
- Bouss'ngault, light purple, double.
- Colbert, double, medium mauve.
- Congo, single, dark violet red.
- Captain Perrault, rosy-mauve, double.
- Florent Stepman, white, single.
- Katherine Havemeyer, double, light mauve.
- Lamartine, light violet, single.
- --- Le Printemps, pale lobelia, double.
- Louvain, light purple, single.
- Leon Simon, medium violet-red, double.
- Leon Gambetta, light mauve, double.
- Mme. Casimir Perier, double, white.
- Mme. F. Morel, light mauve, single.
- Marechal Lannes, light violet, double.
- Negro, single, deep violet-red.
- Waldeck Rosseau, double, light red-mauve.

18 to 24 in	.50	.45	
2 to 3 ft	.70	.55	
3 to 4 ft	.90	.75	
4 to 5 ft		1.00	
5 to 6 ft	1.50	1.25	

T	AMARIX	africana, 12'-14'	Afr	ican Tar	narix
	18 to 24	in	.18	.15	.12
	2 to 3			20	15

 — pentandra, 12'-15'
 Fivestamen Tamarix

 18 to 24 in.
 .22
 .20
 .14

 2 to 3 ft.
 .27
 .22
 .18

TAXODIUM distichum, 75'-100' Common Baldcypress

3	to	4	ft.	В.	&	B	2.25	1.90	1.50
4	to	5	ft.	В.	&	B	3.00	2.50	2.00
5	to	6	ft.	В.	&	B	4.50	3.75	3.00
6	to	8	ft.	В.	&	B	6.00	5.00	4.00

×

EXTRA CHARGE FOR DIGGING LILACS, B. & B. SEE B. & B. SCHEDULE, PAGE 1.

J.

WE SPECIALIZE IN GROWING SHADE TREES. SEE LISTING OF MAPLES, PAGES 3, 4, 5.

	Unit Pri	ice in Quant	tities
TAXUS—THE YEWS	1-4		5-249
TAXUS baccata, 15 -20'		English	Yew
, , , , , , , , , , , , , , , , , , ,	.90		.60
18 to 24 in., B. & B	1.10 1.90	.95 1.50	.75
2½ to 3 ft B. & B		2.20	
— — compacta (adpressa erecta), Upright Si			Vew
18 to 24 in., B. & B		1.25	1.00
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B		3.75 4.50	3.00
— — erecta aurea, 12'-15'			
Golden Upright		eaf Eng.	Yew
12 to 15 in., B. & B			
15 to 18 in., B. & B			
2 to 2½ ft., B. & B			
— repandens, 18"-24" Spr	eading	English	Yew
15 to 18 in., B. & B		1.25	1.00
18 to 24 in., B. & B			
2½ to 3 ft., B. & B.		3.50	
— tardiva, 15'	ortleaf	English	Yew
, , , , , , , , , , , , , , , , , , ,	2.25	1.90	1.50
18 to 24 in., B. & B		2.50 3.50	2.00 2.75
2½ to 3 ft., B. & B.		4.40	
— canadensis, 2'-21/2'		Canada	Yew
15 to 18 in., B. & B		1.00	
18 to 24 in., B. & B	1.90	1.50	
— cuspidata, 10'-15' Spre		Japanese 1.25	Yew 1.00
15 to 18 in., B. & B		1.23	1.50
2 to $2\frac{1}{2}$ ft., B. & B	3.00	2.50	
2½ to 3 ft., B. & B	3.90	3.25 4.50	2.75 3.75
3½ to 4 ft., B. & B		6.00	5.00
4 to 5 ft., B. & B	10.00	8.00	7.00
5 to 6 ft., B. & B	15.00	12.50	
——————————————————————————————————————	right J	Tapanese	Yew
15 to 18 in., B. & B	1.50	1.25	1.00
18 to 24 in., B. & B	1.90 3.00	1.50 2.50	1.25 2.00
2½ to 3 ft., B. & B	4.50		
3 to 4 ft., B. & B.	6.00		
4 to 5 ft., B. & B	9.00	7.50	6.00
— hicksi, 20'-25'	4 - 2	Hicks'	
15 to 18 in., B. & B		1.10 1.70	
18 to 24 in., B. & B		2.20	
$2\frac{1}{2}$ to 3 ft., B. & B	3.75	3.00	2.50
3 to 4 ft., B. & B	4.10	3.50	

TAXUS—continued	1-4	rice in Quan 5-24 2	tities 5-249
— cuspidata nana (brevifolia),		Tononosa	37 o ****
9 to 12 in., B. & B	1.30 1.90 2.60 3.40 4.90 6.25		.85 1.25 1.75 2.25 3.25
— thayeri, 6'-8'		Thayers	Yew
15 to 18 in. B. & B. 18 to 24 in. B. & B. 2 to 2½ ft. B. & B.	3.00	1.50 2.50 3.00	1.25 2.00
— hatfield, 8'-10'		Hatfield	Yew
15 to 18 in., B. & B	3.00	1.50 2.50 3.75	1.25 2.00 3.00
— intermedia, 12'-15'	4.40	Hybrid	
9 to 12 in. B. & B	1.50 1.90 2.25 2.70	.95 1.25 1.50 1.90 2.25 3.50	.75 1.00 1.25 1.50
THUJA occidentalis, 15'-30'		can Arbor	vitae
2 to 3 ft., B. & B		.60	
3 to 4 ft., B. & B	1.00 1.50 2.25 3.40 4.90	2.80 4.05	3.25
—— compacta, 2½'-4'		ons Arbor	
12 to 15 in., B. & B	.75 .90 1.10 1.50		.40 .50 .60 .75 1.00 1.25
— — douglasi aurea, 10'-15'			
		len Arbor	vitae
3 to 4 ft., B. & B	1.65 2.40	1.35 2.00	
— elegantissima, 10'-15' Go	ldentip	ped Arbor	vitae
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	1.10 1.50 2.25 3.40 5.25	1.90 2.80 4.40	1.50 2.25 3.50
15 to 18 in., B. & B	.75	.60	
18 to 24 in., B. & B 2 to 2½ ft., B. & B		.75 1.00	

THUJA—continued	Unit P	rice in Qua 5-24	
— — globosa, 3'-4'		be Arbo	
12 to 15 in., B. & B		.55	.45
15 to 18 in., B. & B			.5 5
18 to 24 in., B. & B			.90
2½ to 3 ft., B. & B		1.50	
—— hoveyi, 3'-4'		vey Arbo	
		.50	.40
12 to 15 in., B. & B		.60	.50
18 to 24 in., B. & B		.75	.60
2 to 2½ ft., B. & B		.95	.75
2½ to 3 ft., B. & B		1.25	
3 to 3½ ft., B. & B			
——————————————————————————————————————	Peabo	dy Arbo	rvitae
2 to 2 ½ ft., B. & B	.95	.75	.65
2½ to 3 ft., B. & B		1.00	
3 to 4 ft., B. & B	1.65		
4 to 5 ft., B. & B		2.00	1.60
5 to 6 ft., B. & B		2.80	
6 to 7 ft., B. & B	4.50	3.75	3.00
— — plicata, 10'-12'		loss Arbo	
2 to 3 ft., B. & B		.75	
3 to 4 ft., B. & B			.75
4 to 5 ft., B. & B		1.50	
5 to 6 ft., B. & B		2.20	
6 to 7 ft., B. & B			
7 to 8 ft., B. & B 8 to 10 ft., B. & B			
— pyramidalis, 15'-30'			
18 to 24 in			.50
2 to 3 ft. B. & B			.75
3 to 4 ft. B. & B		1.50	1.25
4 to 5 ft., B. & B		1.90	1.50
5 to 6 ft., B. & B		2.50	2.00
6 to 7 ft., B. & B		3.00	2.50
7 to 8 ft., B. & B	4.50		
8 to 10 ft., B. & B			
10 to 11 ft., B. & B	9.00	7.50	6.00
— rosenthali, 6'-10'			
18 to 24 in., B. & B			.50
2 to 2½ ft., B. & B			
3 to 4 ft., B. & B			
4 to 5 ft., B. & B		2.20	1.75
5 to 6 ft., B. & B			
— — umbraculifera, 2'-3'	Umbre	ella Arbo	rvitae
18 to 24 in., B. & B			
2 to 2½ ft., B. & B			
$2\frac{1}{2}$ to 3 ft., B. & B	1.90	1.50	1.25
— vervaeneana, 8'-12'			
2 to 2½ ft., B. & B	.75	.60	.50
2½ to 3 ft., B. & B.	1.00	.80	.65
3 to 4 ft., B. & B			
4 to 5 ft., B. & B.	1.90		1.25
5 to 6 ft., B. & B	2.25	1.90	1.50

T	HUJA—continued	Unit P 1-4	rice in Qua 5-24	ntities 25-249
		Vervae	ene Arbo	rvitae
	2 to 2½ ft., B. & B		.70	
	2½ to 3 ft., B. & B			
	3 to 4 ft. B. & B	1.50	1.15	-
	4 to 5 ft. B. & B	1.80	1.50	***********
	5 to 6 ft. B. & B	2.40	2.00	
_	- occidentalis wareana, 12'-15'		ian Arbo	orvitae
	18 to 24 in. B. & B.		.60	.50
	2 to 2½ ft. B. & B.	1.00		
	2½ to 3 ft. B. & B	1.20	1.00	
	3 to 4 ft. B. & B		1.50	
	4 to 5 ft. B. & B	3.00	2.50	2.00
	BIOTA or CHINESE AR			
_	- orientalis (Biota), 20'-25'		tal Arbo	rvitae
	3 to 4 ft. B. & B		.75	.60
	4 to 5 ft. B. & B			
	5 to 6 ft. B. & B			
	6 to 7 ft., B. & B	2.40	2.00	
	7 to 8 ft., B. & B	3.75	3.00	2.50
_	- — aurea conspicua (Biota), 7		ire Arbo	rvitae
	18 to 24 in., B. & B	_	.75	.60
	2 to 2½ ft., B. & B		.95	
	2½ to 3 ft., B. & B	1.90	1.50	
	3 to 4 ft., B. & B		2.50	
	4 to 5 ft., B. & B	3.75	3.00	
	5 to 6 ft., B. & B	4.25		
	——— nana (Biota), 2½'-3'			
	Berckman	s Gold	en Arbo	rvitae
	12 to 15 in., B. & B	.90	.70	.50
	15 to 18 in., B. & B	1.25	1.00	.75
	18 to 24 in. B. & B	1.75	1.35	
	2 to 2½ ft., B. & B	2.75		
	2½ to 3 ft., B. & B	3.75	3.00	
	3 to 3½ ft., B. & B	4.75	4.00	
_	-— compacta (Biota), 3'-4'		old Arbo	rvitae
	18 to 24 in., B. & B	.90 1.65		
	2½ to 3 ft., B. & B	2.00		
	3 to 4 ft., B. & B	2.50		
	4 to 5 ft., B. & B	3.75	3.00	
_	- orientalis elegantissima (Biota			
			nn Arbo	rvitae
	2 to 2½ ft., B. & B	1.10	.95	.75
	2½ to 3 ft., B. & B	1.90	1.50	1.25
	3 to 4 ft., B. & B		1.90	1.50
	4 to 5 ft., B. & B	2.40	2.00	
	5 to 6 ft., B. & B		2.50	
	6 to 7 ft., B. & B	4.25	3.50	

×

Our Retail Catalogue gives a complete list of all our material and includes many scarce and unusual varieties. Send for a copy if interested.

	Hada Di	iaa in Ou	
THUJA—continued	1-4	rice in Qu	25-249
TWO ARBORVITAE THAT A	RE DI	INDERI	ENT
— plicata atrovirens (lobbi), 100	' Gia	ant Arb	orvitae
2 to 3 ft. B. & B	1.25	1.00	
0 00 1 10, 201 00 20111111	1.90	1.50	
4 to 5 ft. B. & B 5 to 6 ft. B. & B	2.50	2.00 2.75	
6 to 7 ft., B. & B			
7 to 8 ft., B. & B	6.00	5.00	
— standishi, 25'-40'	Standi	sh Arb	orvitae
2 to 2½ ft., B. & B		.90	
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B 4 to 5 ft., B. & B	2.50	1.50 2.00	
5 to 6 ft., B. & B	3.00	2.50	
TILIA—THE LINI			
		onicon	Lindon
		nerican	
6 to 8 ft	1.20 1.80	1.00 1.50	.75 1.25
10 to 12 ft., 1½ to 1¾ in	2.25	2.00	1.75
10 to 12 ft., 13/4 to 3 in	3.00	2.50	2.00
12 to 14 ft., 2 to 2½ in	3.75		2.50 3.00
12 to 14 ft., 2½ to 2½ in	4.25 5.00	4.00	3.00
16 to 18 ft., 3 to 3½ in	6.00		
— cordata, 70' Littlele	eaf Eu	ropean	Linden
6 to 8 ft	1.50	1.25	
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	2.50	2.05	
8 to 10 ft., 1½ to 1¾ in	3.40	2.80	
10 to 11 ft., 13/4 to 2 in	4.10 4.90	3.50 4.05	
10 to 12 ft., 2 to 2 1/2 in			
— neglecta, 60'-75'		Gray	Linden
8 to 10 ft., 1½ to 1¾ in	2.75	2.25	
9 to 10 ft., 13/4 to 2 in	3.25	2.75	
10 to 11 ft., 2 to 2½ in	3.75 4.50	3.25 3.75	
10 to 12 ft., 2½ to 2½ in	5.00	3.50	
12 to 14 ft. 3 to 3½ in		5.00	
— petiolaris, 40'-60'	W	eeping	Linden
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
8 to 10 ft. 1½ to 1½ in	3.75 4.25	3.00 3.75	3.00
10 to 12 ft., 13/4 to 2 in	5.25	4.25	
10 to 12 ft., 2 to 2½ in	6.00	5.00	
12 to 14 ft., 2½ to 3 in		7.00	5.50
			Linden
6 to 8 ft 8 to 10 ft	1.50 1.90	1.25 1.50	
8 to 10 ft., 1½ to 1½ in	2.25	1.90	
8 to 10 ft., 1½ to 1¾ in	3.00	2.50	2.00
8 to 10 ft., 13/4 to 2 in	3.75 4.50	3.00	2.50
10 to 12 ft., 2½ to 2½ in	5.25	4.40	3.50
10 to 12 ft., 2½ to 2½ in	6.00	5.00	

TILIA—continued	Unit P	rice in Qu 5-24	antities 25-249
— tomentosa (argentea), 40'-60'		Silver	Linden
6 to 8 ft		1.90 3.00 3.75 4.40 5.30 6.50 7.50	3.00 3.50 4.25
— vulgaris, 70'-90'	Eu	ropean	Linden
6 to 8 ft	4.25	2.00 2.50 2.90 3.55 4.40	2.00 2.35 2.85 3.50
THE HEMLOC	KS		
TSUGA canadensis, 75'-90'	Ca	ınada H	lemlock
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B.	1.50 2.00 3.40 5.25 6.75 8.50		1.00
— pendula, 8'-10'	We	eeping H	lemlo c k
15 to 18 in., B. & B	3.75 5.00		
caroliniana, 50'-60'	Cai	rolina H	[emlock
18 to 24 in., B. & B	1.10 1.50 2.25 3.40 4.90 6.75	4.00	1.50 2.25 3.25
— diversifolia, 30'-40'	Japa	anese He	emlocks
15 to 18 in., B. & B	2.25	1.90	1.00 1.50 2.00
— sieboldi, 40'-50'	S	iebold E	Iemlock
15 to 18 in., B. & B	1.50 2.25 3.00	1.25 1.90 2.50	1.00 1.50 2.00

	Unit	Price in Quant	tities
	1-4	5-24 2	5-249
ULMUS americana, 80'-100'		American	Elm
6 to 8 ft	.60	.50	.40
8 to 10 ft 8 to 10 ft., 1½ to ½ in	.75 .90	.60 .75	.50 .60
9 to 11 ft., 1½ to 1¾ in	1.00	.90	.70
10 to 12 ft., 13/4 to 2 in	1.50	1.25	1.00
11 to 12 ft., 2 to 2¼ in	2.25	1.90	1.50
12 to 14 ft., 2½ to 2½ in		2.50 3.00	2.00 2.50
14 to 16 ft., 3 to 3½ in		4.40	3.50
14 to 16 ft., 3½ to 4 in	7.50	6.00	
16 to 18 ft., 4 to 4½ in		9.00	
18 to 20 ft., $4\frac{1}{2}$ to 5 in	14.00	12.00 Moline	Elm
6 to 8 ft	.75	.60	.50
8 to 10 ft	1.00	.90	.70
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.35	1.10	.90
10 to 12 ft., 1½ to 1¾ in	1.90	1.50	1.25
10 to 12 ft., 13/4 to 2 in	2.60 3.40	2.20 2.80	1.75 2.25
11 to 13 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	5.00	4.00	
13 to 14 ft., $2\frac{1}{2}$ to 3 in	6.00	5.00	
—— "Princeton," 80'-100'		Princeton	Elm
6 to 8 ft		.80	.65
8 to 10 ft	1.35 1.90	1.10 1.50	.90 1.25
10 to 12 ft., 1½ to 1½ in	2.50	2.00	1.65
12 to 14 ft., 13/4 to 2 in	3.00	2.50	2.00
12 to 14 ft., 2 to 2½ in		3.00	2.50
— Vase shape, 60'-75' Vase S		1.65	Elm
10 to 12 ft., 1½ to 1¾ in	2.40	2.00	
11 to 12 ft., 2 to 2½ in		2.50	
12 to 14 ft., 2½ to 2½ in	4.90	4.00	
12 to 14 ft., 2½ to 3 in	6.00 8.00	5.00 6.50	
— pumila, 50'-75'	0.00	Chinese	Elm
5 to 6 ft	.75	.60	
6 to 8 ft	.95	.75	
8 to 10 ft	1.25	1.00	
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.50 2.00	1.30	
10 to 12 ft., 13/4 to 2 in	3.00		
11 to 13 ft., 2 to 2½ in	4.00		
VIBURNUM americanum (oxycoc	cos).	8'-9'	
		Cranberry	bush
2 to 3 ft,	.30	.25	.20
3 to 4 ft	.37	.30	.25
4 to 5 ft	.45 .50	.37 .45	.30
6 to 7 ft	.70	.45	.45
— cassinoides, 5'-6'		Withe	
18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60 .75	.50 .60	.40
5 to 6 ft	.90	.75	.60

VIBURNUM—continued		Price in Qu	
— dentatum, 10'-12'	1-4		25-249 whead
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
3 to 4 ft	.45	.37	.30
4 to 5 ft	.52	.45	.35
5 to 6 ft	.70	.55	.45
6 to 7 ft	.75	.60	.50
— dilatatum, 8'-9'	Liı	nden Vib	urnum
18 to 24 in	.37	.30	.25
2 to 3 ft	.52	.45 .55	.35 .45
4 to 5 ft	.85	.70	.55
5 to 6 ft		.95	.75
— lantana, 15'-18'		Wayfari	ng-tree
18 to 24 in	.27	.22	.16
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
4 to 5 ft	.52	.45 .55	.35
lentago, 18'-20'	***		nyberry
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	.90	.75	.60
6 to 7 ft	1.10 1.35	.95 1.10	.75 .90
8 to 9 ft	1.65	1.10	1.10
— molle, 10'-12'		ucky Vib	
3 to 4 ft			.25
4 to 5 ft			
5 to 6 ft			
6 to 7 ft			.55
— opulus, 9'-10' Euro	_		
18 to 24 in		.20	.15
2 to 3 ft			
4 to 5 ft			.35
5 to 6 ft		.55	.45
— opulus nanum, 18"-24"	Dwarf	Cranber	rybush
4 to 6 in		.20	.15
6 to 9 in			.20
9 to 12 in		.37	.30
—— sterile, 9'-10'		mmon Si	
18 to 24 in			.20
2 to 3 ft			
3 to 4 ft			
4 to 5 ft	.55	.47	.37
— prunifolium, 10'-12'			ackhaw
18 to 24 in		.55 .75	.45 .60
2 to 3 ft			
4 to 5 ft			1.25
- rhytidophyllum, 6'-8'		rleaf Vil	burnum
18 to 24 in. B. & B.	.75	.60	.50
2 to 2½ ft., B. & B	1.10	.95	.75
2½ to 3 ft., B. & B	1.50	1.25	1.00

	··		
VIBURNUM—continued	Unit 1-4	Price in Qu 5-24	antities 25-249
— sieboldi (japonicum), 9'-10'	Sie	eb <mark>old</mark> Vib	urnum
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
3 to 4 ft		.45	.35
4 to 5 ft			.45
5 to 6 ft			
		lefile Vib	
18 to 24 in	.27	.22	.16
2 to 3 ft			
3 to 4 ft			.25
4 to 5 ft		.45	
5 to 6 ft		.55	
— — plicatum, 7'-8'		anese Sr	
18 to 24 in		.25	
2 to 3 ft			
3 to 4 ft			.35
4 to 5 ft			
5 to 6 ft		.70	.55
— wrighti, 7'-8'		right Vik	
2 to 3 ft		_	.35
3 to 4 ft	70		
4 to 5 ft			
5 to 6 ft			
6 to 8 ft	1.50	1.25	1.00
VINCA minor, 6"-8"			
3 in pots			
VITEX agnus-castus, 4'-5'			
18 to 24 in	.).)	. 7(1	
2 to 3 ft	30	.25	.20
2 to 3 ft	30 aved L	.25	.20 ste-tree
2 to 3 ft	30 aved L 22	.25 ilac Cha .20	.20 ste-tree .15
2 to 3 ft	30 aved L 22 30	.25 ilac Chas .20 .25	.20 ste-tree .15 .20
2 to 3 ft	30 aved L 22 30 35	.25 ilac Chas .20 .25 .30	.20 ste-tree .15 .20 .25
2 to 3 ft	30 aved L 22 30 35	.25 ilac Chas .20 .25 .30	.20 ste-tree .15 .20 .25
2 to 3 ft	30 aved L 22 30 35	.25 ilac Chas .20 .25 .30	.20 ste-tree .15 .20 .25
2 to 3 ft. — macrophylla, 3'-4' Large lea 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	30 aved L 22 30 35	.25 ilac Chas .20 .25 .30 .45	.20 ste-tree .15 .20 .25 .35
2 to 3 ft. — macrophylla, 3'-4' Large lea 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8'	30 aved L 22 30 35 52	.25 ilac Chas .20 .25 .30 .45	.20 ste-tree .15 .20 .25 .35
2 to 3 ft. — macrophylla, 3'-4' Large lea 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8' 18 to 24 in.	30 aved L 22 30 35 52	.25 ilac Chas .20 .25 .30 .45 Rose V	.20 ste-tree .15 .20 .25 .35 Weigela .12
2 to 3 ft. — macrophylla, 3'-4' Large lea 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8' 18 to 24 in. 2 to 3 ft.	30 aved L 22 30 35 52	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15
2 to 3 ft. — macrophylla, 3'-4' Large lead 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	30 aved L 22 30 35 52	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15
2 to 3 ft.	30 aved L 22 30 35 52 18 22 30 37	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25 .30	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15
2 to 3 ft. - macrophylla, 3'-4' Large lead 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	30 aved L 22 30 35 52 18 22 30 37	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25 .30 .40	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20
2 to 3 ft - macrophylla, 3'-4' Large lead 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft WEIGELA amabalis, 7'-8' 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft - candida, 7'-8'	30 aved L 22 30 35 52 30 37 50	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25 .30 .40 White V	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Weigela
2 to 3 ft.	30 aved L 22 30 35 52 18 22 30 37 50	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25 .30 .40 White V .15	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Weigela .12
2 to 3 ft. - macrophylla, 3'-4' Large lead 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. - candida, 7'-8' 18 to 24 in. 2 to 3 ft.	30 aved L 22 30 35 52 18 22 30 37 50	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25 .30 .40 White V .15 .20	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Weigela .12 .15
2 to 3 ft.	30 aved L 22 30 35 52 52 30 37 50 18 22 30	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25 .30 .40 White V .15 .20 .22	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Weigela .12 .15 .18
2 to 3 ft. - macrophylla, 3'-4' Large lead 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. - candida, 7'-8' 18 to 24 in. 2 to 3 ft.	30 aved L 22 30 35 52 30 37 50 37 50	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25 .30 .40 White V .15 .20	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Weigela .12 .15
2 to 3 ft.	30 aved L 22 30 35 52 30 37 50 37 50 33 35 33 35	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25 .30 .40 White V .15 .20 .22 .27	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 ——— Weigela .12 .15 .18 .22
2 to 3 ft. - macrophylla, 3'-4' Large lead 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. - candida, 7'-8' 18 to 24 in. 2 to 3 ft. 5 to 6 ft. 5 to 6 ft. 6 to 7 ft.	30 aved L 22 30 35 52 30 37 50 37 50 37 50	.25 ilac Chas	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Weigela .12 .15 .20 .20 .25 .30
2 to 3 ft. — macrophylla, 3'-4' Large lea 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — candida, 7'-8' 18 to 24 in. 2 to 3 ft. 5 to 6 ft. 4 to 5 ft. 5 to 6 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. Current Parallel P	30 aved L2230355218223037501822303750182230375045 . Redflo	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25 .30 .40 White V .15 .20 .22 .27 .30 .37 owered V	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Weigela .12 .15 .20 .20 .25 .30
2 to 3 ft. — macrophylla, 3'-4' Large lea 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — candida, 7'-8' 18 to 24 in. 2 to 3 ft. 5 to 6 ft. — to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. - to 7 ft. — Eva Rathke, 4'-5' 12 to 18 in.	.30 aved L .22 .30 .35 .52 .18 .22 .30 .37 .50 .18 .22 .27 .33 .35 .45 Redflo	.25 ilac Chas	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Weigela .12 .15 .20 .25 .30 Veigela Veigela
2 to 3 ft. — macrophylla, 3'-4' Large lea 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — candida, 7'-8' 18 to 24 in. 2 to 3 ft. 5 to 6 ft. 4 to 5 ft. 5 to 6 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. Current Parallel P	.30 aved L .22 .30 .35 .52 .18 .22 .30 .37 .50 .18 .22 .27 .33 .35 .45 .45 .48 .22	.25 ilac Chas	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Weigela .12 .15 .18 .22 .25 .30 Veigela .12
2 to 3 ft. - macrophylla, 3'-4' Large lead 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft candida, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft candida, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft to 7 ft Eva Rathke, 4'-5' 12 to 18 in. 18 to 24 in. 2 to 3 ft.	.30 aved L .22 .30 .35 .52 .38 .39 .37 .50 .18 .22 .30 .37 .50 .18 .22 .37 .33 .35 .45 .45 .45 .45 .45 .45 .45 .33	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25 .30 .40 White V .15 .20 .22 .27 .30 .37 owered V .15 .22 .27	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Veigela .12 .15 .18 .22 .25 .30 Veigela .12 .18 .24
2 to 3 ft. — macrophylla, 3'-4' Large lead 12 to 18 in	30 aved L22303552182230375018223750182227333545 . Redflo	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25 .30 .40 White V .15 .20 .22 .27 .30 .37 owered V .15 .22 .27 imson V	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Veigela .12 .15 .18 .22 .25 .30 Veigela .12 .18 .24
2 to 3 ft. — macrophylla, 3'-4' Large lea 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. WEIGELA amabalis, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — candida, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — candida, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. — Eva Rathke, 4'-5' 12 to 18 in. 18 to 24 in. 2 to 3 ft. — to 3 ft. — floribunda, 8' 2 to 3 ft. — floribunda, 8' 2 to 3 ft.	.30 aved L .22 .30 .35 .52 .38 .22 .30 .37 .50 .18 .22 .37 .33 .35 .45 Redflo	.25 ilac Chas .20 .25 .30 .45 Rose V .15 .20 .25 .30 .40 White V .15 .20 .22 .27 .30 .37 owered V .15 .22 .27 imson V .20	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Veigela .12 .15 .18 .22 .25 .30 Veigela .12 .18 .24
2 to 3 ft.	.30 aved L .22 .30 .35 .52 .18 .22 .30 .37 .50 .18 .22 .27 .33 .35 .45 .45 .8edflo	.25 ilac Chas	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Veigela .12 .15 .18 .22 .25 .30 Veigela .12 .18 .24
2 to 3 ft. - macrophylla, 3'-4' Large lead 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft WEIGELA amabalis, 7'-8' 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 5 to 6 ft 6 to 7 ft - Eva Rathke, 4'-5' 12 to 18 in 18 to 24 in 2 to 3 ft - to 3 ft 5 to 6 ft 6 to 7 ft - Eva Rathke, 4'-5' 12 to 18 in 18 to 24 in 2 to 3 ft - floribunda, 8' 2 to 3 ft	30 aved L .22 .30 .35 .52 .30 .37 .50 .38 .22 .27 .33 .35 .45 Redflo	.25 ilac Chas	.20 ste-tree .15 .20 .25 .35 Weigela .12 .15 .20 —— Veigela .12 .15 .18 .22 .25 .30 Veigela .12 .18 .24

	Unit P	rice in Qua	intities
WEIGELIA—continued	1-4	5-24	25-249
— feerie, 6'-8'		Rose W	reigela
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30 .45	.25 .37	.20
— nana variegata, 6'-8' Vari			
18 to 24 in	.18 .22	.15 .20	.12
3 to 4 ft	.30	.25	.20
4 to 5 ft	.37	.30	.25
5 to 6 ft	.50	.45	.35
— rosea, 7'-8'		Pink W	
18 to 24 in	.18	.15	.12
2 to 3 ft	.22 .27	.18 .22	.15
4 to 5 ft	.37	.30	.25
5 to 6 ft	.45	.37	.30
WISTERIA multijuga, 35'-50'	Longelu	uster W	isteria
18 to 2 4in., grafts		.35	
2 to 3 ft., grafts	.50	.45	
5 to 6 ft., grafts			
6 to 8 ft., grafts			***************************************
—— alba, 35'-50' Wh			isteria
18 to 24 in., grafts	.50	.40	
, 0	.60 .90	.50 .75	
3 to 4 ft., grafts			
	7 777.001	ning W	ictoria
—— rosea, 35'-50' Rosy			
—— rosea, 35'-50' Rosy 3 to 4 ft., grafts	1.50		
3 to 4 ft., grafts	1. 5 0 2.00	1.25	
3 to 4 ft., grafts	1.50 2.00 Ch	1.25 inese W	
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60	1.25 inese W: .37 .50	isteria .30 .40
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90	1.25 inese W: .37 .50 .75	.30 .40 .60
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10	1.25 inese W: .37 .50 .75 .95	.30 .40 .60 .75
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10	1.25 inese W: .37 .50 .75 .95	.30 .40 .60
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50	1.25 inese W: .37 .50 .75 .95 1.25	.30 .40 .60 .75 1.00
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee	1.25 	.30 .40 .60 .75 1.00 isteria .30
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60	1.25 inese W: .37 .50 .75 .95 1.25 ping W: .37 .50	.30 .40 .60 .75 1.00 isteria .30 .40
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90	1.25 	.30 .40 .60 .75 1.00 isteria .30 .40 .60
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90 1.10	1.25 	.30 .40 .60 .75 1.00 isteria .30 .40 .60
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90 1.10	1.25 	.30 .40 .60 .75 1.00 isteria .30 .40 .60 .75
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90 1.10	1.25 	.30 .40 .60 .75 1.00 isteria .30 .40 .60 .75
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90 1.10 1.50	1.25 	.30 .40 .60 .75 1.00 isteria .30 .40 .60 .75 1.00
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90 1.10 1.50	1.25 inese W: .37 .50 .75 .95 1.25 ping W: .37 .50 .75 .95 1.25	.30 .40 .60 .75 1.00 isteria .30 .40 .60 .75 1.00
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90 1.10 1.50	1.25 inese W: .37 .50 .75 .95 1.25 ping W: .37 .50 .75 .95 1.25	.30 .40 .60 .75 1.00 isteria .30 .40 .60 .75 1.00
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90 1.10 1.50	1.25 inese W: .37 .50 .75 .95 1.25 ping W: .37 .50 .75 .95 1.25 Adams 1 .20 .25	isteria .30 .40 .60 .75 1.00 isteria .30 .40 .60 .75 1.00 Needle .15 .20
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90 1.10 1.50	1.25 inese W: .37 .50 .75 .95 1.25 ping W: .37 .50 .75 .95 1.25 Adams 1 .20 .25	isteria .30 .40 .60 .75 1.00 isteria .30 .40 .60 .75 1.00 Needle .15 .20
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90 1.10 1.50	1.25 inese W: .37 .50 .75 .95 1.25 ping W: .37 .50 .75 .95 1.25 Adams 1 .20 .25	isteria .30 .40 .60 .75 1.00 isteria .30 .40 .60 .75 1.00 Needle .15 .20
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90 1.10 1.50	1.25 inese W: .37 .50 .75 .95 1.25 ping W: .37 .50 .75 .95 1.25 Adams 1 .20 .25 .30	isteria .30 .40 .60 .75 1.00 isteria .30 .40 .60 .75 1.00 Needle .15 .20 .25
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90 1.10 1.50	1.25	isteria .30 .40 .60 .75 1.00 isteria .30 .40 .60 .75 1.00 Needle .15 .20 .25
3 to 4 ft., grafts	1.50 2.00 Ch .45 .60 .90 1.10 1.50 te Wee .45 .60 .90 1.10 1.50	1.25	isteria .30 .40 .60 .75 1.00 isteria .30 .40 .60 .75 1.00 Needle .15 .20 .25





How to Reach Princeton by Auto or Train

We are located midway between New York and Philadelphia. Both the Lincoln Highway and the new Super-Highway (Route 26) pass our nurseries.

The office of Princeton Nurseries is located on Lake Road in the township of Kingston, New Jersey.

The nearest railroad stations are at Princeton and Princeton Junction, on the main line of the Pennsylvania Railroad. Phone Princeton 1776 or 1777 and we will be glad to come and meet you at either place.

The New York-Washington planes pass over our nursery hourly. When travelling by airplane, watch out for the interesting block arrangement from the air.

We would call your attention to the fact that we have one of the largest nurseries in the country with over 1000 acres of nursery stock. We are growing between 1100-1200 varieties of hardy woody ornamentals.

A cordial invitation is hereby given to visit our nursery at any time.

PHONE
PRINCETON
1766

